
# A vaccine targeting antigen-presenting cells through CD40 induces protective immunity against Nipah disease

## **Graphical abstract**



## **Highlights**

- Vaccine targeting APCs: design for Nipah protection and addressing emerging threats
- CD40-targeting vaccine induces protective responses against Nipah
- Vaccine protection against Nipah by targeting APCs
- Advance in Nipah virus vaccine design by targeting APCs

## Authors

Yadira Pastor, Olivier Reynard, Mathieu Iampietro, ..., Véronique Godot, Yves Lévy, Sylvain Cardinaud

## Correspondence

yves.levy@inserm.fr (Y.L.), sylvain.cardinaud@inserm.fr (S.C.)

## In brief

Pastor et al. describe a Nipah virus vaccine design that leverages an APCtargeting approach, CD40.NiV, demonstrating immunogenicity, neutralization and Henipavirus crossneutralization, and protection in AGM preclinical models. This strategy holds significance for countering Nipah virus outbreaks and shaping future vaccine designs against emerging infectious threats.





## Article

# A vaccine targeting antigen-presenting cells through CD40 induces protective immunity against Nipah disease

Yadira Pastor,<sup>1,2,12</sup> Olivier Reynard,<sup>3,12</sup> Mathieu Iampietro,<sup>3</sup> Mathieu Surenaud,<sup>1,2</sup> Florence Picard,<sup>1,2</sup> Nora El Jahrani,<sup>1,2</sup> Cécile Lefebvre,<sup>1,2</sup> Adele Hammoudi,<sup>1,2</sup> Léa Dupaty,<sup>1,2</sup> Élise Brisebard,<sup>4</sup> Stéphanie Reynard,<sup>3,5</sup> Élodie Moureaux,<sup>6</sup> Marie Moroso,<sup>7</sup> Stéphanie Durand,<sup>3</sup> Claudia Gonzalez,<sup>3</sup> Lucia Amurri,<sup>3</sup> Anne-Sophie Gallouët,<sup>8</sup> Romain Marlin,<sup>8</sup> Sylvain Baize,<sup>3,5</sup> Eve Chevillard,<sup>7</sup> Hervé Raoul,<sup>7</sup> Hakim Hocini,<sup>1,2</sup> Mireille Centlivre,<sup>1,2</sup> Rodolphe Thiébaut,<sup>2,9,10</sup> Branka Horvat,<sup>3</sup> Véronique Godot,<sup>1,2</sup> Yves Lévy,<sup>1,2,11,13,\*</sup> and Sylvain Cardinaud<sup>1,2,13,14,\*</sup> <sup>1</sup>INSERM U955 - Équipe 16, Institut Mondor de Recherche Biomédicale (IMRB), Université Paris-Est Créteil (UPEC), Créteil, France <sup>2</sup>Vaccine Research Institute (VRI), Créteil, France <sup>3</sup>Centre International de Recherche en Infectiologie (CIRI), Université de Lyon, INSERM U1111, Ecole Normale Supérieure de Lyon, Université Lyon 1, CNRS UMR5308, Lyon, France <sup>4</sup>INRAE Oniris UMR0703, APEX, Nantes, France <sup>5</sup>Unité de Biologie des Infections Virales Emergentes, Institut Pasteur, Lyon, Université Paris Cité, Paris, France <sup>6</sup>BioPRIM, Baziège, France <sup>7</sup>Laboratoire P4 Inserm Jean Mérieux, Lyon, France <sup>8</sup>Université Paris-Saclay, Inserm, CEA, Immunologie des maladies virales, autoimmunes, hématologiques et bactériennes (IMVA-HB/IDMIT/UMR1184), Fontenay-aux-Roses, France <sup>9</sup>University Bordeaux, Department of Public Health, INSERM Bordeaux Population Health Research Centre, Inria SISTM, Bordeaux, France <sup>10</sup>CHU Bordeaux, Department of Medical Information, Bordeaux, France <sup>11</sup>Assistance Publique-Hôpitaux de Paris, Groupe Henri-Mondor Albert-Chenevier, Service Immunologie Clinique, Créteil, France <sup>12</sup>These authors contributed equally <sup>13</sup>These authors contributed equally <sup>14</sup>Lead contact \*Correspondence: yves.levy@inserm.fr (Y.L.), sylvain.cardinaud@inserm.fr (S.C.)

https://doi.org/10.1016/j.xcrm.2024.101467

#### SUMMARY

Nipah virus (NiV) has been recently ranked by the World Health Organization as being among the top eight emerging pathogens likely to cause major epidemics, whereas no therapeutics or vaccines have yet been approved. We report a method to deliver immunogenic epitopes from NiV through the targeting of the CD40 receptor of antigen-presenting cells by fusing a selected humanized anti-CD40 monoclonal antibody to the Nipah glycoprotein with conserved NiV fusion and nucleocapsid peptides. In the African green monkey model, CD40.NiV induces specific immunoglobulin A (IgA) and IgG as well as cross-neutralizing responses against circulating NiV strains and Hendra virus and T cell responses. Challenge experiments using a NiV-B strain demonstrate the high protective efficacy of the vaccine, with all vaccinated animals surviving and showing no significant clinical signs or virus replication, suggesting that the CD40.NiV vaccine conferred sterilizing immunity. Overall, results obtained with the CD40.NiV vaccine are highly promising in terms of the breadth and efficacy against NiV.

#### **INTRODUCTION**

Nipah virus (NiV) is an emerging, highly pathogenic, zoonotic paramyxovirus first recognized following a 1998–1999 outbreak of severe febrile encephalitis in Malaysia and Singapore.<sup>1</sup> Subsequent outbreaks of NiV occurred in India and have occurred almost annually in Bangladesh. NiV infection is the most severe viral zoonosis to recently emerge from bats, causing serious health and economic problems, and is of particular importance due to its bioweapon potential. NiV is included on the World Health Organization's Blueprint List of Priority Pathogens, as

well as on the Coalition for Epidemic Preparedness Innovations' Priority Pathogens List.  $^{2}\,$ 

Transmission occurs mainly from fruit contaminated by the natural host, the *Pteropus* fruit bat, to a wide range of mammals such as pigs, horses, or other domestic animals and, finally, humans.<sup>3</sup> Phylogenetic analyses indicate that there are at least two strains of NiV.<sup>4</sup> Outbreaks from the Malaysian strain (NiV-M) showed high rates of encephalitis, whereas the Bangladesh strain (NiV-B) is also associated with severe respiratory symptoms and human-to-human transmission through close contact with people's secretions and nosocomial transmission. In



addition, NiV-B shows a shorter incubation period and higher mortality rate than NiV-M, reaching 100% in some of outbreaks. The outbreak of 2018 in the South Indian district of Kozhikode, Kerala, showed a fatality rate of 91%,<sup>5</sup> and other isolated cases have also been reported since then.<sup>6</sup>

Several NiV candidate vaccines are at preclinical or early clinical development stages, but no licensed vaccines or therapeutics are available for human use yet.7-10 Most vaccine candidates target the NiV surface glycoprotein (G) and/or fusion (F) protein as immunogens, as these proteins are required for viral entry and are exposed on virus surface. Here, we took advantage of a method to target sequences from these molecules to dendritic cells (DCs). Targeting vaccine antigens to DCs via surface receptors is an appealing strategy to improve subunit-vaccine efficacy (while reducing the amount of required antigen) that can be used with or without adjuvant.<sup>11</sup> Direct delivery of the antigen, which can additionally activate cell receptors, may also evoke a danger signal, stimulating an immune response. Among the various DC receptors tested, including lectins and scavenger receptors, we have reported the superiority of vaccines that target diverse viral antigens to CD40-expressing antigen-presenting cells (APCs) in evoking strong antigen-specific T and B cell responses.<sup>12-21</sup> Drawing from this knowledge, we developed a vaccine that targets selected epitopes from the G, F, and nucleocapsid (N) proteins from NiV-B. Here, we report the immunogenicity and protective efficacy of an anti-CD40 multi-epitope Nipah prophylactic vaccine in African green monkeys (AGMs) exposed to an experimental challenge with the NiV-B virus.

#### RESULTS

# In silico down-selection of NiV predictive immunogenic peptides and CD40.NiV vaccine design

The NiV surface G is a gold-standard antigen for inducing protective humoral responses.<sup>22</sup> Other cellular effectors, such as helper and effector T cells, may also participate in host defense.<sup>8</sup> We screened the NiV G ectodomain (ECD) to identify vaccine epitopes using the NetMHC 4.0 and NetMHCII 2.3 software, which predict T cell epitopes that bind to a large panel of class I and II HLA molecules, respectively. Linear B cell epitopes were predicted using the BepiPred 2.0 software. The NiV G ECD vaccine region was predicted to contain 3,522 T cell epitopes and 15 B cell epitopes, respectively. Due to their conservation between NiV strains, we further identified vaccine epitopes from the F and N proteins. Regions with strong binder epitopes and the highest HLA coverage were highlighted, as well as the linear B cell epitopes (Figure 1A). The NiV F (aa 45-90) and NiV N (aa 318-355) down-selected peptides contain 356 and 266 predicted T cell epitopes, respectively, as well as three and two linear B cell epitopes, respectively. Globally, these amino acid sequences were screened for homology with other Henipaviruses, obtaining 100% homology between different Nipah strains for the F and N peptides and more than 98% for the NiV G ECD (Figure 1B; see Table S1 for detailed aa sequences).

We next engineered vectors expressing the NiV-B G ECD fused to the C termini of the heavy chains of the anti-human CD40 humanized 12E12 immunoglobulin G4 (IgG4) monoclonal

We have previously shown that 12E12 anti-CD40 fused to viral antigens enhances CD40-mediated internalization and antigen presentation by mononuclear cells and *ex-vivo*-generated monocyte-derived DCs.<sup>15,19</sup> Similarly, we confirm here the binding of the CD40.NiV vaccine to the human and AGM CD40 receptor *in vitro*. For this purpose, we used splenocytes from mice transgenic for the human CD40 receptor (CD40<sup>Hy/Mu</sup> transgenic mice; hCD40Tg) and peripheral blood mononuclear cells (PBMCs) from AGMs, respectively (Figures S2), where binding is demonstrated on B cells, which express CD40, and, to a lesser extent, on monocyte/macrophage populations.


# CD40.NiV induces specific T and B cell responses in hCD40Tg mice

hCD40Tg mice were immunized with two subcutaneous (s.c.) injections of CD40.NiV vaccine (10 µg) or an equivalent amount of NiV G protein (3.9  $\mu$ g), both with poly-ICLC (50  $\mu$ g) on days 0 and 21 (Figure 2A). Antibody-mediated immune responses were first evaluated by Luminex assay (Figure 2B). Three weeks postprime (PP), mice immunized with the CD40-targeted NiV G protein showed significantly higher anti-NiV G lgG levels (p < 0.01), highlighting the benefit conferred by the DC-targeting system, as previously reported for HIV-1 and severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) CD40-based vaccines.12,23 We next compared the avidity of NiV G-specific IgG post-boost (PB) using a multiplex immunoassay approach<sup>24</sup> (Figure 2C). Strikingly, the avidity index was significantly improved when NiV G was targeted to the CD40 receptor PB (p < 0.05), suggesting an advantage of such targeting for inducing B cell affinity maturation.

We further analyzed the protective capacity of CD40.NiV vaccines by evaluating the neutralizing capacity of the NiV G-specific antibodies, first using a virus-free Luminex-based surrogate neutralization assay (Figure 2D). Of note, this inhouse-developed assay, similar to the inhibition assay for testing SARS-CoV-2 neutralizing IgG,<sup>25</sup> is an inhibition assay for the binding of NiV G to the Ephrin B2 receptor by the IgG circulating in the sera. We observed significantly higher levels of inhibiting antibodies in mice after CD40.NiV vaccination than in those immunized with the NiV G protein (p < 0.01, PP and PB). The results of NiV G and CD40.NiV vaccination (with poly-ICLC) were further confirmed using a plate-reduction neutralizing test with NiV-B in BSL-4 facilities, confirming the high neutralizing capacity of IgGs induced by two injections of CD40.NiV (Figure 2E). We further confirmed the induced B cell responses in CD40.NiV (+poly-ICLC)-vaccinated mice by detecting germinal center (GC) B cells (Fas+/ GL7+, from B220+/IgG+) within the draining lymph nodes (dLNs) (p < 0.001 as compared to the poly-ICLC control group) (Figures S3A and S3B). Furthermore, NiV G-specific GC B cells, gated as biotin+/+ cells, were significantly increased in the dLN of vaccinated animals (p < 0.05) (Figure S3C). To demonstrate the specific T cell responses against the various

Article





В

Genbank	AA sequences		Isolate	Country	Host	Year	AA homology (%)		
Accession #	tested in						G 71-602	F 45-90	N 318-355
AY988601.1	(1) (2) (3) (4)	NiV	SPB200401066	Bangladesh	Homo sapiens	2004	100	100	100
JN808863.1	-	NiV	NIVBGD2008RAJBARI	Bangladesh	Homo sapiens	2008-2010	99.8	100	100
AY029767.1	(4)	NiV	UMMC1	Malaysia	Homo sapiens	2001	95.9	100	100
AY029768.1	-	NiV	UMMC2	Malaysia	Homo sapiens	2001	96.7	100	100
FN869553.1	-	NiV		Malaysia	Pteropus vampyrus (bats)	1990-1993	96.7	97.8	100
MK673561.1		NiV	808589	Malaysia	Sus scrofa (pig)	1999	96.2	100	100
MK801755.1	(4)	NiV	CSUR381	Cambodia	Pteropus lylei Fruit Bats	2020	95.7	100	100
FJ513078.1	-	NiV	Ind-Nipah-07-FG	West India	Homo sapiens	2011	99.7	100	100
MH523642.1	-	NiV	MCL-18-H-1088	Kerala	Homo sapiens	2018	99	100	100
MN062017.1	(3) (4)	HeV	HeV/Australia/1994/Horse18	Australia	Horse	2008	78.9	87	100
MZ229746.1	-	HeV	HeV-G2/Australia/Pteropus poliocephalus/2020-01	Australia	Pteropus poliocephalus (bats)	2013	83.4	87	100
MZ318101.1	-	HeV	HeV- var/Australia/Horse/2015/Gy mpie	Australia	Horse	2015	83.1	87	100
OM101130.1	-	LayV	SDQD S1801	China	Homo sapiens	2022	22.7	39.1	89.5

(1) CD40.NiV vaccine

(2) in vivo infection of AGM (NiV-B)

(3) NiV or HeV *in vitro* cross-neutralisation assay

(4) rVSV in vitro cross-neutralisation assay

#### Figure 1. Epitope mapping of NiV antigens associated with the CD40 mAb

(A) Open reading frames encoding the G, F, and N proteins in the NiV (Bangladesh strain) genome are highlighted in blue, orange, and red, respectively (center).
 Full-length amino acid sequences were screened for predicted HLA-I (NetMHC 4.0) HLA-II (NetMHCII 2.3), and linear B cell epitopes (BepiPred 2.0). For HLA-I and -II, the color intensity is representative of the density of predicted epitopes, with coverage of at least 30% of the worldwide HLA. (Top) Ectodomain (ECD) of the G protein and (bottom) F and N down-selected domains associated with the CD40.NiV vaccine.
 (B) Amino acid conservation of vaccine antigens.

antigens from CD40.NiV, we performed an interferon  $\gamma$  (IFN- $\gamma$ ) ELISpot assay on splenocytes using pools of overlapping peptides. We detected dose-dependent IFN- $\gamma$ -producing cells specific for the NiV G ECD, as well as NiV F and N peptides (Figures 2F, S3D, and S3E). Overall, these results demonstrate the immunogenicity of the CD40.NiV vaccine candidate.


#### The CD40.NiV vaccine induces early and robust humoral and T cell responses in AGMs

Based on our preliminary results, the CD40.NiV vaccine was selected to be tested in a further AGM challenge study, the most relevant model to test infection by the NiV-B strain.<sup>26</sup> Animals received either adjuvant alone (1 mg s.c. poly-ICLC,



50-25

NIV G CD40.NIV



## **Cell Reports Medicine** Article

#### Figure 2. CD40.NiV induces NiV neutralizing IgG and polyepitopic cellular T cell responses in hCD40Tg mice

(A) Schematic representation of the study design, comparing responses to CD40.NiV to the non-targeted NiV G ECD (with poly-ICLC). Blood samplings are represented by diamonds.

(B) IgG titers specific to NiV G ECD were determined by Luminex technology on days 0, 21, and 28 postimmunization with either CD40.NiV (red) or non-targeted NiV G ECD protein (blue), with poly-ICLC. The mean fluorescence intensity (MFI) (±SEM) is represented. Non-parametric Kruskal-Wallis tests with Dunn's multiple comparison post hoc test. \*p < 0.05, \*\*p < 0.01, ns non-significant.

(C) Avidity of NiV G-specific IgG measured by Luminex on day 21 (3 weeks post-prime) and 28 (1 week post-boost), comparing mice immunized with non-targeted NiV G versus CD40.NiV, with poly-ICLC. The color legends and statistical analyses are the same as in (B).

(D) Neutralization activity of sera from mice immunized with NiV G ECD versus CD40.NiV (with poly-ICLC) measured first by a Luminex-based inhibition assay. The color legends and statistical analysis are the same as in (B).

(E) In vitro neutralization assay performed on NiV-Binfected cells using serial-diluted sera collected on day 28 post-immunization. The IC50 values were calculated and are reported as titers  $(log(1/lC_{50}))$ . The dotted line indicates the limit of quantification (LOQ) for the neutralization titer. Non-parametric Mann-Whitney unpaired t tests; \*p < 0.05.

(F) IFN-y T cell responses to the NiV G, F, and N overlapping peptide pools assessed from spleens by ELISpot 1 week post-boost. The total number of spots are reported per million splenocytes (background subtracted). NiV G (blue), N (green), and F (orange). Data are representative of at least two experiments.

NiV-B, -M (Malaysia), and -C (Cambodia) and to HeV (Hendra virus) using the sera of five vaccinated AGMs by in vitro infec-

n = 3) or 200 µg s.c. CD40.NiV with poly-ICLC (n = 9) on days 0 and 21 (Figure 3A). All vaccinated animals showed specific and significant IgG and IgA titers 10 days PP (mean log titer of 3.17 [±0.3] and 2.38 [±0.5] for IgG and IgA, respectively, p < 0.001 compared to controls) (Figure 3B). IgG titers increased over time and then remained the same until day 56, whereas serum IgA levels dropped. Vaccination elicited a neutralization potential of NiV G-specific IgG by day 10 PP, reaching significance 2 weeks PB (mean neutralization titer 3.2  $[\pm 0.2]$ , p < 0.001), and remained high until day 56 (Figure 3C). We estimated a significant average decrease of 0.016 log neutralization titer per day, leading to a prediction of the maintenance of a neutralization titer above the detectable threshold (mean log titer 2.2 [±0.1]) up to 100 days following the boost. The neutralizing capacity of specific antibodies was confirmed PP and PB using the Luminex-based surrogate inhibition assay (p < 0.001) (Figure S4). We assessed cross-neutralization to

N G

> tion of VeroE6 cells with recombinant (F/G) vesicular stomatitis virus (VSV) particles<sup>27,28</sup> (Figure 3D). Two weeks PB, all animals exhibited comparable cross-reactive humoral responses to NiV (F/G) proteins, as well as positive cross-reactive responses to Hendra virus (Figure 3E). IFN-γ ELISpot assays were conducted on PBMCs collected on day 21 (before the boost) and day 35 PP using pools of peptides for each vaccine antigen (Figure 3F). The overall responses were significant 2 weeks PB (p < 0.05) and positive in 5/8 tested animals.


> Overall, CD40.NiV induced cellular responses associated with strong, rapid, and durable humoral responses in an AGM model, with high titers of neutralizing antibodies.

#### Clinical outcomes and survival for challenged animals

On day 80 post-immunization, the nine vaccinated and three control (poly-ICLC) AGMs were challenged intratracheally with a uniformly lethal dose of 10<sup>2</sup> plaque-forming units (PFUs) of







#### Figure 3. Cellular and humoral responses of AGMs vaccinated with CD40.NiV

(A) Schematic representation of the study design. Diamonds are representative of sampling.

(B) Blood NiV G-specific IgG (left) and IgA (right) titers, in poly-ICLC- (black) and CD40.NiV (+poly-ICLC)-vaccinated AGMs (red) on days 0, 10, 21, 35, and 56 postprime. Individual Ig titers (log(1/EC<sub>50</sub>)) are shown. The whiskers indicate the medians (min-max) for each group and at each time point. The prime and boost are

(legend continued on next page)



the NiV-B strain (Figure 3A). The dose for the challenge was selected based on previous experiments that included five non-vaccinated animals infected under the same conditions. These controls were added to the control group for evaluation of the virological and clinical outcomes. Disease symptoms were followed over 28 days post-challenge (dpc), with regular blood draws to perform immunological, viral, and hematobiochemical tests. The CD40.NiV vaccination conferred 100% protection until the end of the follow-up scheduled at 28 dpc. Of note, two vaccinated animals had to be euthanized at 15 and 19 dpc due to injuries and ethical considerations independent of the NiV infection. These animals were excluded from survival study. By contrast, non-vaccinated animals reached the euthanasia criteria related to NiV disease between 7 and 11 dpc (Gehan-Breslow-Wilcoxon test, p < 0.001) (Figure 4A). From a clinical standpoint, only mild and transient clinical signs were evident in the vaccinated animals, with a mean clinical score remaining below 6, mostly attributed to a lack of reactivity (Figure 4B). The control group showed a high-grade clinical score, with apathy, tachypnea, dyspnea, and gastrointestinal symptoms, along with fever (above 38.9°C in all animals). The animals showed various hematological and serum biochemistry changes during the challenge phase (Figure S5). Enzyme activity levels (aspartate aminotransferase; creatine kinase) reflecting hepatic disorders were above normal values during the critical disease period for controls but not the vaccinated animals. We also observed perturbations of the white and red blood counts in the controls, which exhibited lymphopenia and thrombocytopenia, whereas we observed no significant abnormalities in the vaccinees during the postimmunization and challenge phases. Necropsy studies revealed lesions and the pathophysiological process of the NiV-B infection in control animals (Figure 4C). As previously described,<sup>8</sup> examination of the lung tissue showed interstitial pneumonia, edema, and vasculitis, with inflammatory cell infiltrates for all controls but rarely for the vaccinated animals (observed in 2 of 9 animals, AGMs #S1134 and #O1376; Figure S6). Non-vaccinees showed follicular depletion in the spleen, whereas eight CD40.NiV-vaccinated AGMs showed follicular hyperplasia, suggesting that a strong adaptive immune response was induced post-challenge. Of note, we observed no relevant lesions in the frontal cortex of any animals. From a clinical point of view, CD40.NiV appears to confer full protection against disease progression and death.

## Cell Reports Medicine Article

Plasma and tissue viral loads in challenged AGMs

We assessed NiV viremia by RT-qPCR in PBLs from vaccinated and control animals at regular time points and at termination of the study (euthanasia or 28 dpc) for organs, fluids, and swabs. All controls (n = 3 receiving poly-ICLC plus n = 4 naive AGMs) exhibited a high level of NiV-B in PBLs (ranging from 4.5 to 5.5 log10 copies/mL) detectable from 7 to 9 dpc, whereas we detected no virus in vaccinated subjects until 22 dpc (Figure 5A). Except for one animal (AGM #S1134), for which NiV-B transcripts were detected by RT-qPCR in the lung, NiV-B replication in nasal and nasopharyngeal swabs; fluids, including broncho-alveolar lavages, sera, urine, and thoracic exudates; and organs (lung, spleen, and neurological tissue) was undetectable in immunized AGMs, whereas it was detected at high levels in controls (Figure 5B). This strong antiviral effect was confirmed by the lack of expression of the NiV N protein in tissues of the lungs and spleen, as assessed by histo-immunofluorescence (Figure 5C). Viral syncytia were detected in the lungs of non-immunized animals. It is important to note that NiV-B infection of the brain could not be confirmed via histo-immunofluorescence. The infection within blood vessels appears to be heterogeneous, and we cannot rule out the possibility of N protein expression in other areas of the brain. Overall, CD40.NiV vaccination led to sterilizing immunity that limited viral propagation, as well as viral shedding, in AGMs.

# Immunological and cytokine features of challenged animals

We further characterized the post-challenge immune responses by immunological phenotyping of the cell populations from 0 to 22 dpc. The succumbing animals showed profound and significant defects in the lymphoid populations (CD20<sup>+</sup> B and CD3<sup>+</sup> T cells) (Figure 6A). Among T cells, the percentage of CD8<sup>+</sup> T cells was markedly reduced during NiV infection (Figure 6B). These changes were transitional and not significant in the vaccinated group. Innate immunity was also affected by NiV-B infection, with the almost complete disappearance of circulating monocytes in succumbing animals, whereas the number of inflammatory, intermediate, and classical monocytes in the vaccinees remained stable after the critical period of infection (7-9 dpc) (Figure 6C). Overall, these data indicate that exposure to NiV challenge induces dramatic perturbations of innate and adaptive cellular immunity, which are attenuated and/or non-significant in CD40.NiV-immunized animals.

indicated by arrows. The dotted line indicates the LOQ for the Ig titer. Non-parametric Kruskal-Wallis tests with Dunn's multiple comparison post hoc test; \* p < 0.05; \*\* p < 0.01; \*\*\* p < 0.001; ns, non-significant.


<sup>(</sup>C) *In vitro* NiV-B neutralization activity of AGM sera measured post-immunization and post-challenge (80 days post-infection [dpi]): black line, poly-ICLC group (n = 3); red line, CD40.NiV with poly-ICLC (n = 9); gray line, modeling of the decrease in neutralizing Abs after the peak of the response (day 35).


<sup>(</sup>D) Cross-neutralization was assessed with serial dilutions of five AGM sera collected 21 and 35 dpi added to cells infected with VSV $\Delta$ G-NiVF/G harboring the NiV G and F proteins, either from the Bangladesh (plain circles), Malaysia (open circles), or Cambodia (open diamonds) strain or from the Hendra virus (plain triangles). Results are reported as the log of the IC<sub>50</sub>. Dotted line: LOQ given by sera from the poly-ICLC group of AGMs. GenBank references of the NiV G and F proteins expressed by rVSV and homology of the amino acid sequence are detailed in Table S1.

<sup>(</sup>E) *In vitro* HeV neutralization activity of AGM sera measured 2 weeks post-boost (35 dpi): black dots, poly-ICLC group (n = 3); red dots, CD40.NiV with poly-ICLC (n = 9). Mann-Whitney unpaired t test, \*\*p < 0.01.

<sup>(</sup>F) Total specific IFN- $\gamma$  responses to the NiV G, F, and N antigens assessed in PBMCs on days 21 and 35 post-immunization, as in Figure 2 for the spleen. The number of spots is reported per million PBMCs (background subtracted). The dotted line represents the threshold of positivity, defined by the mean response (±3 SD) of the non-vaccinated AGM group. Non-parametric Kruskal-Wallis tests with Dunn's multiple comparison post hoc test; \*p < 0.05; ns non-significant.

Article





# Changes in blood-cell gene expression in vaccinated AGM

To decipher early changes in gene expression associated with the vaccination, we performed RNA sequencing analysis of peripheral whole blood at day 0 (before prime) and 1 day PP (day 1), just before the boost (day 21), and 1 day PB ( day 22) in animals receiving adjuvanted CD40.NiV (see Figure 3A). Given the small number of animals in the adjuvant control group, we analyzed the differentially expressed genes (DEGs) at different time points relative to baseline in the vaccinated animals (VACs). Principal-component analysis showed changes in gene abundance PP and PB relative to baseline (day 0 before injection) (Figure 7A). In total, 773 DEGs were significantly modulated at day 22 (1 day PB). Interestingly, among these DEGs, 437 were noted at days 1 and 22 (1 day PP and PB). An additional 236

#### Figure 4. Protection assay in AGMs

(A) Survival curve. Nine AGMs were immunized twice with CD40.NiV and challenged with  $10^2$  PFUs of NiV-B (intratracheal route) (red line). Eight naive animals were used as controls (black dotted line). Gehan-Breslow-Wilcoxon test, \*\*\*p < 0.001. (B) Clinical scores and temperatures of naive (black) and vaccinated AGMs (red). Gray dashed line score threshold for ethical considerations (left); median temperature at day 0 (right).

CellPress

(C) Hematoxylin and eosin staining of collected tissues from the spleen, lungs, and brain (frontal cortex) at necropsy. Representative staining of naive AGMs is shown in (a) and (b) (follicular degeneration and depletion in spleen) and (d) and (e) (interstitial pneumonia with alveolar edema and syncytial formation in the lungs) and of vaccinated AGMs in (c) (follicular hyperplasia in the spleen) and (f) (normal lung tissue). No obvious changes were observed in the brain (frontal cortex).

DEGs were common between day 1 PP and PB (Figure 7B). The most highly upregulated genes from day 0 to 22 included those that play a major role in antiviral innate and proinflammatory responses (e.g., ISG15, MX1, IFI44, CXCL10, and interleukin-27) and adaptive immunity (e.g., antigen uptake by SIGLEC-1, T cell chemotaxis by CCL8, and CXCL11) (Figure 7C). Most of these transcripts were found to be upregulated PP and PB (Figure S7A). A panel of the most highly down-regulated genes were also associated with a signature of a primary or secondary immune response to the vaccine (e.g., CD1c, CD79A, CCR6, and CXCR4). Globally, the most highly upregulated and down-regulated genes in vaccinated animals were predominantly associated with pathways involved in immune system processes and the defense against viruses and other organ-

isms (Figure 7D). The humoral immune response mediated by circulating Ig was specifically promoted PB (Figure S7B), highlighting a prominent antibody-mediated response after the second injection of CD40.NiV. Overall, the antiviral defense module of genes was the significantly upregulated on day 22 (Figure 7E). The detailed kinetics of the genes involved in this module showed rapid and significant activation of all PP and PB (Figure 7F). Ten transcripts, including IFN-inducible antiviral proteins (RSAD2 and RIG1), were significantly upregulated PB relative to PP. Other gene network modules were also highlighted PP and PB (e.g., response to virus, cytokine signaling, neutrophil degranulation, and regulation of leukocyte activation). Although we could not discriminate between effects of the vaccine and the adjuvant in the vaccinees, our transcriptomic analysis high-lights a vaccine-induced gene signature.







Figure 5. Viral dissemination post-challenge

(A) (Left) Amount of viral NiV RNA quantified by RT-PCR (N gene) in PBLs. Values were normalized against those of the GADPH housekeeping gene. Genomic RNA was measured by RT-qPCR in nasal (middle) and pharyngeal (right) swabs. Mean values (±SEM) are presented for the non-vaccinated (black, n = 7) versus CD40.NiV-vaccinated (red, n = 9) groups.

(B) Same as in (A) for fluids collected at necropsy.

(C) Representative panels of immunofluorescent staining of NiV N protein (red) and DAPI (blue) in the lung, spleen, and brain tissues collected from the poly-ICLC versus CD40.NiV (+poly-ICLC) groups.

**Article** 



# Figure 6. Myeloid and lymphoid populations

CellPress

**post-challenge** (A) Percentage of CD20<sup>+</sup> B cells among live cells determined by flow cytometry for non-immunized (black, n = 5) versus vaccinated AGMs (red, n = 9). Dotted line: median percentage of all animals at day 0. For each time point, percentages are compared to the initial amount in each animal group. Friedman paired t test, \*\*\*p < 0.001.

(B and C) As in (A), percentage of CD3<sup>+</sup> T cells (B) with evolution of CD4/CD8 T cell ratios (C).

(D) CD14<sup>+</sup> monocytes exhibiting inflammatory (CD14<sup>low</sup> CD16<sup>+</sup>, solid), intermediate (CD14<sup>+</sup> CD16<sup>hi</sup>, square), and classical (CD14<sup>hi</sup>, CD16<sup>-</sup>, dashed) phenotypes in non-vaccinated (n = 3, black) versus CD40.NiV AGMs (n = 9, red).

iments using an AGM model. More than three decades after the discovery of the immunological properties of DCs,<sup>29</sup> we provide evidence that targeting viral antigens to professional APCs can be efficiently employed as a prophylactic measure against a lethal viral challenge. The present study reinforces previous findings that DC-based vaccines can efficiently reduce viral loads and/or viral reservoirs when used as a therapeutic approach against HIV-1 infection<sup>30,31</sup> or SARS-CoV-2 reinfection.<sup>15</sup>


The DC-targeting strategy enabled us to design a subunit construct containing immunogenic and cross-reactive epitopes from the F and N NiV proteins, in addition to the NiV G ECD. This is in contrast to most other NiV vaccine platforms.<sup>8–10,32–35</sup> These peptides are predicted to contain numerous T cell and B cell epitopes compared to other strategies, such as the sGHeV vaccine,10 and they cover 100% of the worldwide repertoire of HLA molecules. These sequences show 95%-100% conservation between the NiV-M and NiV-B strains, including recent strains that have infected human populations, farm animals, and bat reservoirs in different countries. Notably, the vaccine sequences  $G_{71-602}$ ,  $F_{45-90}$ , and  $N_{318-355}$ exhibit 83%, 87%, and 100% homology with the Hendra virus, respectively (Figure 1B). We have confirmed that neutralizing antibodies induced by CD40.NiV can cross-neutralize various strains of NiV using a VSV-based surrogate neutrali-

#### DISCUSSION

In this study, we demonstrate the potency of a DC-targeting vaccine candidate in preventing NiV-B infection in challenge experzation assay (see Figure 3). Whether the CD40.NiV vaccine candidate might also provide cross-protection against various Henipaviruses causing sporadic outbreaks (e.g., the Langya virus<sup>36</sup>; see Table S1), and thus reduce the risk of the emergence



Article



#### Figure 7. Characterization of gene expression profiles induced after prime-boost vaccinations

(A) Principal-component analysis based on the full transcriptomic profile of vaccinated AGMs sampled at day 0 (before vaccination) (yellow); day 1 after prime vaccination (purple); 1 day before the boost, corresponding to day 21 (orange); and 1 day after the boost (day 22) (sky blue).

(B) Venn diagram of differential expression of genes (DEGs) comparing VAC day 1 to 0, 22 to 21, and 22 to 0 (adjusted p value  $\leq$  0.05, absolute log2 fold change [FC]  $\geq$  0.58).

(C) Volcano plot of DEGs observed between VAC day 22 and 0. The down- (190) and upregulated (583) genes are shown in blue and red, respectively. The top 35 most upregulated and down-regulated genes based on the log2FC are depicted.



of new pathogenic strains, remains to be tested. However, the epitope-based strategy developed here can be extended to multiple conserved and highly immunogenic peptide vaccines, as proposed for the development of an HIV-1 therapeutic vaccine<sup>31</sup> and an SARS-CoV-2 booster vaccine,<sup>12</sup> which will advance to a phase 1/2 clinical trial.

The CD40.NiV vaccine induced both NiV G-specific IgG and IgA antibodies as early as 10 days PP in AGMs (see Figure 3). We have also demonstrated that neutralizing responses can be maintained, with a stable estimated mean log titer of approximately 2.2 ( $\pm$ 0.1) 100 days after the peak of the antibody response. These responses were shown to cross-neutralize multiple strains of NiV, as well as HeV. Although detectable at a lower level, we found that the CD40.NiV vaccine elicited a T cell response against the NiV G ECD and down-selected F and N peptides in two preclinical models. While the role of specific T cells in this protection was not fully demonstrated, the induction of T cell responses, in addition to the antibody-mediated response, might help to improve cross-protection, reduce shedding, and limit the spread of NiV, as well as enhance the durability of the immune response. Transcriptomic analysis revealed a common set of DEGs 1 day following the prime and boost (days 1 and 22), including genes associated with antiviral innate (ISG15, MX1, IFI44) and adaptive immunity. The DEGs in vaccinated animals were predominantly associated with pathways involved in immune system processes and defense against viruses, involving innate immunity at an earlier time point (day 1, PP), as described in other vaccine strategies.<sup>37</sup> Interestingly, the modulation of gene pathways associated with humoral responses was significant PB at day 22. Overall, these results highlight a vaccine signature associated with the protective effect of the vaccine.

AGMs were challenged with a lethal dose of NiV-B 60 days PB, revealing complete protection conferred by the CD40.NiV vaccine candidate. Intratracheal infection with 102 PFUs of NiV-B has been demonstrated to be highly reproducible in previous experiments, resulting in 100% mortality between days 9 and 12 post-challenge. This model better mimics human infection associated with severe respiratory symptoms than NiV-M cases, which are characterized by a high rate of encephalitis. We have demonstrated that CD40.NiV can confer protection against both the disease and the virus, with 100% survival of immunized AGMs up to the end of the study 28 days post-infection. These clinical results were corroborated by the preservation of lymphoid structures and the absence of major abnormalities in the lungs and blood lymphoid populations post-challenge in vaccinated animals relative to controls. The absence of detectable virus in the organs and fluids (RNA or protein) from most of these animals at the time of necropsy demonstrates the effectiveness of CD40.NiV in this model. The limited spread of the virus within the organism, without significant or detectable shedding of the virus through nasal secretions or other fluids, has the potential to limit interindividual viral dissemination and the establishment of a viral reservoir or latent infection. Overall, the absence of illness and detectable viral replication in the vaccinated animals suggests that CD40.NiV induced sterilizing immunity.

From a clinical perspective, the CD40.NiV vaccine was administered to AGMs with the clinical-grade poly-ICLC adjuvant, as previously done for HIV DC-targeting vaccines in preclinical models<sup>15,18</sup> and in healthy volunteers enrolled in the first human phase 1 trials to test the CD40.HIVRI.Env vaccine (ClinicalTrials. gov: NCT04842682), demonstrating the safety and immunogenicity of the vaccine.<sup>38</sup> However, the capacity to induce protective immunity without requiring an adjuvant<sup>14</sup> would accelerate the development of a protein-based vaccine with improved tolerability over adjuvanted vaccines, making it suitable for specifically vulnerable individuals and children. Indeed, licensed subunit vaccines have demonstrated tolerability and safety in diverse population groups, including pregnant women and children.<sup>39</sup> Further studies in non-human primates should be conducted to determine the minimal amount of CD40.NiV required to induce protective responses and/or the need for an adjuvant.14

Our study has limitations. First, we did not investigate whether AGM immunized with the non-targeted NiV G ECD at equivalent doses would produce neutralizing antibodies and achieve immune protection from infection. Nevertheless, we have previously reported in several models, including non-human primates, that the targeting of antigen to CD40 receptor induces early integrated (T and B cell responses) and long-lasting responses as compared to the non-targeted antigen. Moreover, the preclinical data in mice presented in Figure 2 demonstrated a significant advantage of CD40 targeting for inducing NiV G-binding IgG, with improved avidity and neutralization capacity. Although we observed GC reaction in spleens of vaccinated mice, the mechanism of action for improved humoral responses by targeting CD40 remains to be elucidated. For ethical considerations, we decided to demonstrate the protection in AGMs with the best-in-class formulation deciphered in mice (CD40.NiV + poly-ICLC). Second, 6 females and 3 males were immunized with CD40.NiV. As depicted in Figures 3, 4, 5, and, all vaccinated animals survived, with no discernible differences noted between genders in terms of clinical, virological, or immunological responses post-challenge. Non-vaccinated animals, comprising 3 from the current study and 5 from previous challenge experiments, included a mix of males and females. All succumbed between days 9 and 12 post-challenge, exhibiting similar virus loads and physiopathological disorders across all animals. Given the balance of males and females and the uniformity of the data, we opted not to delineate responses within each gender group. Third, while we demonstrated that F and N

<sup>(</sup>D) Gene set enrichment analysis was performed on the DEGs with an adjusted p value  $\leq$  0.05 between VAC day 22 and 0 using the ClusterProfiler v.4.4.4 R package. The density plot shows the top 25 pathways based on the adjusted p value and normalized enrichment score.

<sup>(</sup>E) The highest ranked network of DEGs (adjusted p value  $\leq$  0.05, absolute log2FC  $\geq$  0.58) between VAC days 22 and 0 was obtained from the protein-protein interaction (PPI) network using the MCODE plug-in of Cytoscape. The DEGs in the network are colored based on the log2FC values.

<sup>(</sup>F) Heatmap of gene expression belonging to the MCODE network at days 0 (green), 1 (salmon), 21 (blue), and 22 (purple). Gene expression levels in the heatmap are shown as Z scores. Significantly differentially expressed genes in post-boost versus post-prime are indicated by a square.



down-selected epitopes contribute to the diversity of T cell responses, we have not asserted either antibody responses induced by these peptides or their eventual adjuvant effect. Finally, our objective was to diversify and enrich the arsenal of vaccines to prevent future Nipah outbreaks. The next stage would be to compare head-to-head candidate vaccines under development; to assess the precocity, durability, magnitude, and cross-reactivity of neutralizing antibodies; and to unravel whether platforms could be associated for improved protection against Nipah.

Our results demonstrating the protective efficacy of the CD40.NiV vaccine represent an important milestone toward clinical development. Various vaccine platforms are under clinical development, including the subunit vaccine composed of the G protein of Hendra virus (ClinicalTrials.gov: NCT04199169), the rVSV-ΔG vector<sup>39</sup> (ClinicalTrials.gov: NCT05178901), and mRNA (ClinicalTrials.gov: NCT05398796), but no licensed vaccines are still available for human use. These platforms may represent prime candidates for new "emergency vaccines" to be utilized for the management of outbreaks. However, concerns remain about the safety, development, and inadequate transport/storage in affected areas and the durability of immunity.<sup>33,40–42</sup> One caveat of subunit vaccines in general is related to constraints of antigen design and the time required to produce large numbers of doses, making these vaccines difficult to develop as first responses for suddenly emerging epidemics. However, the CD40.NiV vaccine, designed to extend the breadth of responses, may enrich the portfolio of countermeasures against Henipaviruses as a prime and/or boost to induce early and durable immune responses to fill the gap of sustainable protection in a clinical situation characterized by unpredictable outbreaks.

#### Limitations of the study

Study limitations include not assessing non-targeted NiV G ECD immune responses in AGMs. CD40 targeting showed advantages in inducing early integrated responses. CD40.NiV + poly-ICLC demonstrated protection in AGMs, overcoming ethical concerns. Gender differences were not observed in vaccinated animals post-challenge. The study aimed to enrich Nipah vaccines and proposes comparing candidate vaccines for efficacy, neutralizing antibodies, and potential synergies.

#### **STAR**\*METHODS

Detailed methods are provided in the online version of this paper and include the following:

- KEY RESOURCES TABLE
- RESOURCE AVAILABILITY
  - Lead contact
  - Materials availability
  - Data and code availability
- EXPERIMENTAL MODEL AND STUDY PARTICIPANT DE-TAILS
  - Ethics statements
  - Mice
  - African green monkeys (AGM)

#### • METHOD DETAILS

- Immunogens & reagents
- Animal immunization and groups
- Vaccine-induced immune responses
- Antibody measurement
- Nipah virus challenge
- Virology
- Post-challenge immune responses
- QUANTIFICATION AND STATISTICAL ANALYSIS

#### SUPPLEMENTAL INFORMATION

Supplemental information can be found online at https://doi.org/10.1016/j. xcrm.2024.101467.

#### ACKNOWLEDGMENTS

We thank Dr. Andres M. Salazar (Oncovir, Inc.) for providing the poly-ICLC (Hiltonol), Valérie Favede and Edoardo Pizzioli for preparing BSL-4 material, and members of Bioprim and the BSL-4 animal facility for handling AGMs. We thank the Center for Disease Control and Prevention (Atlanta, GA, USA) for the NiV-B isolate. This work received funding from (1) INSERM and the Investissements d'Avenir program, Vaccine Research Institute (VRI), managed by the ANR under reference ANR-10-LABX- 77, and (2) the French Ministry of Higher Education, Research and Innovation for the Nipah Virus Project and the SARS-CoV-2 Vaccine Project.

#### **AUTHOR CONTRIBUTIONS**

Conceptualization, E.M., M.M., S.B., E.C., H.R., B.H., H.H., V.G., S.C., and Y.L.; mouse experimentation, Y.P., O.R., M.I., M.S., F.P., L.D., and A.H.; AGM and BSL-4 experimentation, Y.P., O.R., M.I., M.S., N.E.-J., C.L., E.B., S.R., S.D., C.G., L.A., A.-S.G., R.M., and R.T.; funding acquisition, B.H., V.G., S.C., and Y.L.; project administration, M.C.; writing – original draft, Y.P., S.C., and Y.L. All authors participated in discussions of experimental results and edited the manuscript.

#### **DECLARATION OF INTERESTS**

The authors declare no competing interests.

Received: October 6, 2023 Revised: December 23, 2023 Accepted: February 16, 2024 Published: March 11, 2024

#### REFERENCES

- Chua, K.B., Bellini, W.J., Rota, P.A., Harcourt, B.H., Tamin, A., Lam, S.K., Ksiazek, T.G., Rollin, P.E., Zaki, S.R., Shieh, W., et al. (2000). Nipah Virus: A Recently Emergent Deadly Paramyxovirus. Science 288, 1432–1435. https://doi.org/10.1126/science.288.5470.1432.
- Sweileh, W.M. (2017). Global research trends of World Health Organization's top eight emerging pathogens. Global. Health 13, 9. https://doi. org/10.1186/s12992-017-0233-9.
- Luby, S.P., Gurley, E.S., and Hossain, M.J. (2009). Transmission of Human Infection with Nipah Virus. Clin. Infect. Dis. 49, 1743–1748. https://doi.org/ 10.1086/647951.
- Pelissier, R., lampietro, M., and Horvat, B. (2019). Recent Advances in the Understanding of Nipah Virus Immunopathogenesis and Anti-viral Approaches. F1000Research 8. https://doi.org/10.12688/f1000research. 19975.1.
- 5. Thayyil, J., Padmanabhan, A., Gangadharan, A., Salim, S., and Jayakrishnan, T. (2020). Nipah outbreak in Kerala, South India: Ethical



challenges in the deployment of healthcare workers. Indian J. Med. Ethics V, 1–9. https://doi.org/10.20529/IJME.2020.078.

- Yadav, P.D., Sahay, R.R., Balakrishnan, A., Mohandas, S., Radhakrishnan, C., Gokhale, M.D., Balasubramanian, R., Abraham, P., Gupta, N., Sugunan, A.P., et al. (2022). Nipah Virus Outbreak in Kerala State, India Amidst of COVID-19 Pandemic. Front. Public Health *10*, 818545. https:// doi.org/10.3389/fpubh.2022.818545.
- Ithinji, D.G., Buchholz, D.W., Ezzatpour, S., Monreal, I.A., Cong, Y., Sahler, J., Bangar, A.S., Imbiakha, B., Upadhye, V., Liang, J., et al. (2022). Multivalent viral particles elicit safe and efficient immunoprotection against Nipah Hendra and Ebola viruses. npj Vaccines 7. https://doi.org/10.1038/ s41541-022-00588-5.
- Woolsey, C., Borisevich, V., Fears, A.C., Agans, K.N., Deer, D.J., Prasad, A.N., O'Toole, R., Foster, S.L., Dobias, N.S., Geisbert, J.B., et al. (2023). Recombinant vesicular stomatitis virus-vectored vaccine induces longlasting immunity against Nipah virus disease. J. Clin. Invest. *133*, e164946. https://doi.org/10.1172/JCl164946.
- Yoneda, M., Georges-Courbot, M.C., Ikeda, F., Ishii, M., Nagata, N., Jacquot, F., Raoul, H., Sato, H., and Kai, C. (2013). Recombinant Measles Virus Vaccine Expressing the Nipah Virus Glycoprotein Protects against Lethal Nipah Virus Challenge. PLoS One 8, e58414. https://doi.org/10.1371/ journal.pone.0058414.
- Bossart, K.N., Rockx, B., Feldmann, F., Brining, D., Scott, D., LaCasse, R., Geisbert, J.B., Feng, Y.R., Chan, Y.P., Hickey, A.C., et al. (2012). A Hendra virus G glycoprotein subunit vaccine protects African green monkeys from Nipah virus challenge. Sci. Transl. Med. *4*, 146ra107. https://doi.org/10. 1126/scitranslmed.3004241.
- Ceglia, V., Kelley, E.J., Boyle, A.S., Zurawski, S., Mead, H.L., Harms, C.E., Blanck, J.-P., Flamar, A.-L., Kirschman, J.H., Ogongo, P., et al. (2021). A Framework to Identify Antigen-Expanded T Cell Receptor Clusters Within Complex Repertoires. Front. Immunol. *12*, 735584–735614. https://doi. org/10.3389/fimmu.2021.735584.
- Coléon, S., Wiedemann, A., Surénaud, M., Lacabaratz, C., Hue, S., Prague, M., Cervantes-Gonzalez, M., Wang, Z., Ellis, J., Sansoni, A., et al. (2022). Design, immunogenicity, and efficacy of a pan-sarbecovirus dendritic-cell targeting vaccine. EBioMedicine 80, 104062. https://doi. org/10.1016/j.ebiom.2022.104062.
- Chen, J., Zurawski, G., Zurawski, S., Wang, Z., Akagawa, K., Oh, S., Hideki, U., Fay, J., Banchereau, J., Song, W., and Palucka, A.K. (2015). A novel vaccine for mantle cell lymphoma based on targeting cyclin D1 to dendritic cells via CD40. J. Hematol. Oncol. *8*, 35. https://doi.org/10. 1186/s13045-015-0131-7.
- Pastor, Y., Ghazzaui, N., Hammoudi, A., Centlivre, M., Cardinaud, S., and Lévy, Y. (2022). Refining the DC-targeting vaccination for preventing emerging infectious diseases. Front. Immunol. 13, 949779. https://doi. org/10.3389/fimmu.2022.949779.
- Marlin, R., Godot, V., Cardinaud, S., Galhaut, M., Coleon, S., Zurawski, S., Dereuddre-Bosquet, N., Cavarelli, M., Gallouët, A.S., Maisonnasse, P., et al. (2021). Targeting SARS-CoV-2 receptor-binding domain to cells expressing CD40 improves protection to infection in convalescent macaques. Nat. Commun. *12*, 5215. https://doi.org/10.1038/s41467-021-25382-0.
- Alexandre, M., Marlin, R., Prague, M., Coleon, S., Kahlaoui, N., Cardinaud, S., Naninck, T., Delache, B., Surenaud, M., Galhaut, M., et al. (2022). Modelling the response to vaccine in non-human primates to define SARS-CoV-2 mechanistic correlates of protection. Elife *11*, e75427. https://doi.org/10.7554/eLife.75427.
- Flamar, A.L., Bonnabau, H., Zurawski, S., Lacabaratz, C., Montes, M., Richert, L., Wiedemann, A., Galmin, L., Weiss, D., Cristillo, A., et al. (2018). HIV-1 T cell epitopes targeted to Rhesus macaque CD40 and DCIR: A comparative study of prototype dendritic cell targeting therapeutic vaccine candidates. PLoS One *13*, e0207794. https://doi.org/10.1371/journal.pone.0207794.

- Zurawski, G., Shen, X., Zurawski, S., Tomaras, G.D., Montefiori, D.C., Roederer, M., Ferrari, G., Lacabaratz, C., Klucar, P., Wang, Z., et al. (2017). Superiority in Rhesus Macaques of Targeting HIV-1 Env gp140 to CD40 versus LOX-1 in Combination with Replication-Competent NY-VAC-KC for Induction of Env-Specific Antibody and T Cell Responses. Journal of Virology *91*, 10–1128. https://doi.org/10.1128/JVI.01596-16.
- Yin, W., Gorvel, L., Zurawski, S., Li, D., Ni, L., Duluc, D., Upchurch, K., Kim, J., Gu, C., Ouedraogo, R., et al. (2016). Functional Specialty of CD40 and Dendritic Cell Surface Lectins for Exogenous Antigen Presentation to CD8 + and CD4 + T Cells. EBioMedicine *5*, 46–58. https://doi.org/10. 1016/j.ebiom.2016.01.029.
- Yin, W., Duluc, D., Joo, H., Xue, Y., Gu, C., Wang, Z., Wang, L., Ouedraogo, R., Oxford, L., Clark, A., et al. (2016). Therapeutic HPV cancer vaccine targeted to CD40 elicits effective CD8+ T-cell immunity. Cancer Immunol. Res. 4, 823–834. https://doi.org/10.1158/2326-6066. CIR-16-0128.
- Kervevan, J., Bouteau, A., Lanza, J.S., Hammoudi, A., Zurawski, S., Surenaud, M., Dieudonné, L., Bonnet, M., Lefebvre, C., Hocini, H., et al. (2021). Targeting human langerin promotes HIV-1 specific humoral immune responses. PLoS Pathog. *17*, e1009749. https://doi.org/10.1371/journal. ppat.1009749.
- Wang, Z., Amaya, M., Addetia, A., Dang, H.V., Reggiano, G., Yan, L., Hickey, A.C., DiMaio, F., Broder, C.C., and Veesler, D. (2022). Architecture and antigenicity of the Nipah virus attachment glycoprotein. Science 375, 1373–1378. https://doi.org/10.1126/science.abm5561.
- Flamar, A.-L., Contreras, V., Zurawski, S., Montes, M., Dereuddre-Bosquet, N., Martinon, F., Banchereau, J., Le Grand, R., Zurawski, G., and Lévy, Y. (2015). Delivering HIV Gagp24 to DCIR Induces Strong Antibody Responses In Vivo. PLoS One *10*, e0135513. https://doi.org/10. 1371/journal.pone.0135513.
- Taylor, D.W., Bobbili, N., Kayatani, A., Tassi Yunga, S., Kidima, W., and Leke, R.F.G. (2020). Measuring antibody avidity to Plasmodium falciparum merozoite antigens using a multiplex immunoassay approach. Malar. J. 19, 171. https://doi.org/10.1186/s12936-020-03243-3.
- Fenwick, C., Turelli, P., Ni, D., Perez, L., Lau, K., Herate, C., Marlin, R., Lana, E., Pellaton, C., Raclot, C., et al. (2022). Patient-derived monoclonal antibody neutralizes SARS-CoV-2 Omicron variants and confers full protection in monkeys. Nature Microbiology *Jul 25*. https://doi.org/10.1038/ s41564-022-01198-6.
- Geisbert, T.W., Daddario-DiCaprio, K.M., Hickey, A.C., Smith, M.A., Chan, Y.-P., Wang, L.-F., Mattapallil, J.J., Geisbert, J.B., Bossart, K.N., and Broder, C.C. (2010). Development of an Acute and Highly Pathogenic Nonhuman Primate Model of Nipah Virus Infection. PLoS One 5, e10690. https://doi.org/10.1371/journal.pone.0010690.
- Reynard, O., and Volchkov, V.E. (2015). Characterization of a Novel Neutralizing Monoclonal Antibody Against Ebola Virus GP. J. Infect. Dis. 212, S372–S378. https://doi.org/10.1093/infdis/jiv303.
- Gaudino, M., Aurine, N., Dumont, C., Fouret, J., Ferren, M., Mathieu, C., Reynard, O., Volchkov, V.E., Legras-Lachuer, C., Georges-Courbot, M.-C., and Horvat, B. (2020). High Pathogenicity of Nipah Virus from Pteropus lylei Fruit Bats, Cambodia. Emerg. Infect. Dis. 26, 104–113. https://doi.org/ 10.3201/eid2601.191284.
- 29. Banchereau, J., and Steinman, R.M. (1998). Dendritic cells and the control of immunity. Nature 392, 245–252.
- Lévy, Y., Thiébaut, R., Montes, M., Lacabaratz, C., Sloan, L., King, B., Pérusat, S., Harrod, C., Cobb, A., Roberts, L.K., et al. (2014). Dendritic cellbased therapeutic vaccine elicits polyfunctional HIV-specific T-cell immunity associated with control of viral load. Eur. J. Immunol. 44, 2802–2810. https://doi.org/10.1002/eji.201344433.
- Cheng, L., Wang, Q., Li, G., Banga, R., Ma, J., Yu, H., Yasui, F., Zhang, Z., Pantaleo, G., Perreau, M., et al. (2018). TLR3 agonist and CD40-targeting vaccination induces immune responses and reduces HIV-1 reservoirs. J. Clin. Invest. *128*, 4387–4396. https://doi.org/10.1172/JCl99005.



- 32. Geisbert, T.W., Bobb, K., Borisevich, V., Geisbert, J.B., Agans, K.N., Cross, R.W., Prasad, A.N., Fenton, K.A., Yu, H., Fouts, T.R., et al. (2021). A single dose investigational subunit vaccine for human use against Nipah virus and Hendra virus. npj Vaccines 6, 23–12. https://doi. org/10.1038/s41541-021-00284-w.
- Foster, S.L., Woolsey, C., Borisevich, V., Agans, K.N., Prasad, A.N., Deer, D.J., Geisbert, J.B., Dobias, N.S., Fenton, K.A., Cross, R.W., and Geisbert, T.W. (2022). A recombinant VSV-vectored vaccine rapidly protects nonhuman primates against lethal Nipah virus disease. Proc. Natl. Acad. Sci. USA *119*, e2200065119. https://doi.org/10.1073/pnas.2200065119.
- Loomis, R.J., Stewart-Jones, G.B.E., Tsybovsky, Y., Caringal, R.T., Morabito, K.M., McLellan, J.S., Chamberlain, A.L., Nugent, S.T., Hutchinson, G.B., Kueltzo, L.A., et al. (2020). Structure-Based Design of Nipah Virus Vaccines: A Generalizable Approach to Paramyxovirus Immunogen Development. Front. Immunol. *11*, 842. https://doi.org/10.3389/fimmu.2020.00842.
- Mohammed, A.A., Shantier, S.W., Mustafa, M.I., Osman, H.K., Elmansi, H.E., Osman, I.A.A., Mohammed, R.A., Abdelrhman, F.A., Elnnewery, M.E., Yousif, E.M., et al. (2020). Epitope-Based Peptide Vaccine against Glycoprotein G of Nipah Henipavirus Using Immunoinformatics Approaches. J. Immunol. Res. 2020, 2567957. https://doi.org/10.1155/ 2020/2567957.
- Zhang, X.-A., Li, H., Jiang, F.-C., Zhu, F., Zhang, Y.-F., Chen, J.-J., Tan, C.-W., Anderson, D.E., Fan, H., Dong, L.-Y., et al. (2022). A Zoonotic Henipavirus in Febrile Patients in China. N. Engl. J. Med. 387, 470–472. https://doi.org/10.1056/NEJMc2202705.
- Hagan, T., Gerritsen, B., Tomalin, L.E., Fourati, S., Mulè, M.P., Chawla, D.G., Rychkov, D., Henrich, E., Miller, H.E.R., Diray-Arce, J., et al. (2022). Transcriptional atlas of the human immune response to 13 vaccines reveals a common predictor of vaccine-induced antibody responses. Nat. Immunol. 23, 1788–1798. https://doi.org/10.1038/s41590-022-01328-6.
- Lelièvre, J.-D., Moog, C., Wiedemann, A., Lacabaratz, C., Candotti, F., Durand, M., Rieux, V., Hardel, L., Diallo, A., Ding, S., et al. (2023). CD40.HIV-RI.ENV Vaccine Induces Strong and Durable Immune Responses: ANRS/ VRI06 Trial (CROI).
- Schiller, J.T., and Lowy, D.R. (2015). Raising Expectations For Subunit Vaccine. J. Infect. Dis. 211, 1373–1375. https://doi.org/10.1093/infdis/ jiu648.
- Collier, A.R.Y., Yu, J., McMahan, K., Liu, J., Chandrashekar, A., Maron, J.S., Atyeo, C., Martinez, D.R., Ansel, J.L., Aguayo, R., et al. (2021). Differential Kinetics of Immune Responses Elicited by Covid-19 Vaccines. N. Engl. J. Med. 385, 2010–2012. https://doi.org/10.1056/NEJMc2115596.
- PREVAC Study Team; Kieh, M., Richert, L., Beavogui, A.H., Grund, B., Leigh, B., D'Ortenzio, E., Doumbia, S., Lhomme, E., Sow, S., et al. (2022).

Randomized Trial of Vaccines for Zaire Ebola Virus Disease. N. Engl. J. Med. 387, 2411–2424. https://doi.org/10.1056/NEJMoa2200072.

- Agnandji, S.T., Huttner, A., Zinser, M.E., Njuguna, P., Dahlke, C., Fernandes, J.F., Yerly, S., Dayer, J.-A., Kraehling, V., Kasonta, R., et al. (2016). Phase 1 Trials of rVSV Ebola Vaccine in Africa and Europe. N. Engl. J. Med. 374, 1647–1660. https://doi.org/10.1056/NEJMoa1502924.
- Andreatta, M., and Nielsen, M. (2016). Gapped sequence alignment using artificial neural networks: application to the MHC class I system. Bioinformatics 32, 511–517. https://doi.org/10.1093/bioinformatics/btv639.
- Jensen, K.K., Andreatta, M., Marcatili, P., Buus, S., Greenbaum, J.A., Yan, Z., Sette, A., Peters, B., and Nielsen, M. (2018). Improved methods for predicting peptide binding affinity to MHC class II molecules. Immunology 154, 394–406. https://doi.org/10.1111/imm.12889.
- Jespersen, M.C., Peters, B., Nielsen, M., and Marcatili, P. (2017). BepiPred-2.0: improving sequence-based B-cell epitope prediction using conformational epitopes. Nucleic Acids Res. 45, W24–W29. https://doi. org/10.1093/nar/gkx346.
- Patro, R., Duggal, G., Love, M.I., Irizarry, R.A., and Kingsford, C. (2017). Salmon provides fast and bias-aware quantification of transcript expression. Nat. Methods *14*, 417–419. https://doi.org/10.1038/nmeth.4197.
- 47. Gauthier, M., Agniel, D., Thiébaut, R., and Hejblum, B.P. (2020). dearseq: a variance component score test for RNA-seq differential analysis that effectively controls the false discovery rate. NAR Genom. Bioinform. 2, lqaa093. https://doi.org/10.1093/nargab/lqaa093.
- Wickham, H. (2016). ggplot2: Elegant Graphics for Data Analysis, 2nd ed (Springer International Publishing : Imprint: Springer). https://doi.org/10. 1007/978-3-319-24277-4.
- Yu, G., Wang, L.-G., and He, Q.-Y. (2015). ChIPseeker: an R/Bioconductor package for ChIP peak annotation, comparison and visualization. Bioinformatics 31, 2382–2383. https://doi.org/10.1093/bioinformatics/btv145.
- Zhou, Y., Zhou, B., Pache, L., Chang, M., Khodabakhshi, A.H., Tanaseichuk, O., Benner, C., and Chanda, S.K. (2019). Metascape provides a biologist-oriented resource for the analysis of systems-level datasets. Nat. Commun. 10, 1523. https://doi.org/10.1038/s41467-019-09234-6.
- Szklarczyk, D., Gable, A.L., Lyon, D., Junge, A., Wyder, S., Huerta-Cepas, J., Simonovic, M., Doncheva, N.T., Morris, J.H., Bork, P., et al. (2019). STRING v11: protein–protein association networks with increased coverage, supporting functional discovery in genome-wide experimental datasets. Nucleic Acids Res. 47, D607–D613. https://doi.org/10.1093/ nar/gky1131.
- Shannon, P., Markiel, A., Ozier, O., Baliga, N.S., Wang, J.T., Ramage, D., Amin, N., Schwikowski, B., and Ideker, T. (2003). Cytoscape: A Software Environment for Integrated Models of Biomolecular Interaction Networks. Genome Res. 13, 2498–2504. https://doi.org/10.1101/gr.1239303.



### **STAR**\***METHODS**

#### **KEY RESOURCES TABLE**

REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies		
anti-CD3-V500, clone SP34-2	BD Biosciences	Cat# 560770; RRID:AB_1937322
anti-CD3-AF488, clone SP34-2	BD Biosciences	Cat# 557705; RRID:AB_396814
anti-CD4-FITC, clone L200	BD Biosciences	Cat# 550628; RRID:AB_393789
anti-CD4-AF700, clone SK3	BD Biosciences	Cat# 340133; RRID:AB_400007
anti-CD8-BV650, clone RPA-T8	BD Biosciences	Cat# 563821; RRID:AB_2744462
anti-CD8-BV421, clone SK1	BD Biosciences	Cat# 568217; RRID:AB_2916846
anti-CD14-AF700, clone M5E2	BD Biosciences	Cat# 557923; RRID:AB_396944
anti-CD14-APC, clone M5E2	BD Biosciences	Cat# 555399; RRID:AB_398596
Anti-CD16-PeCy7, clone 3g8	BD Biosciences	Cat# 557744; RRID:AB_396850
anti-CD20-SB702, clone 2H7	Thermo Fisher Scientific	Cat# 67-0209-42; RRID:AB_2717137
anti-CD20-APC-H7, clone 2H7	BD Biosciences	Cat# 560853; RRID:AB_10561681
anti-CD45-PerCP, clone D058-1283	BD Biosciences	Cat# 558411; RRID:AB_397080
anti-CD163-APC, clone GHI/61	Biolegend	Cat# 333609; RRID:AB_2291272
anti-HLA-DR-APC-H7, clone L243	BD Biosciences	Cat# 641393; RRID:AB_1645739
Mouse anti-monkey IgA monoclonal Secondary Antibody, Biotin	Thermo Fisher Scientific	Cat #MA5-16730; RRID:AB_2538222
Goat anti-monkey IgG (H+L) polyclonal Secondary Antibody, HRP	Thermo Fisher Scientific	Cat# PA1-84631; RRID:AB_933605
anti-CD3-AF700, clone 17A2	Sony Biotechnology	Cat# 1101080; RRID:AB_2935667
anti-CD11c-BV785, clone N418	BioLegend	Cat# 117335; RRID:AB_11219204
anti-CD45-BV711, clone 30-F11	BD Biosciences	Cat# 563709; RRID:AB_2687455
anti-CD45-BV605, clone 30-F11	BD Biosciences	Cat# 564047, RRID:AB_2744403
anti-CD138-PE/Dazzle594, clone 281-2	BioLegend	Cat# 142528; RRID:AB_2566495
anti-B220-PECy7, clone RA3-6B2	BD Biosciences	Cat# 561881; RRID:AB_10893024
anti-B220-711, clone RA3-6B2	BD Biosciences	Cat# 563892; RRID:AB_2738470
anti-FAS-BV421, clone Jo2	BD Biosciences	Cat# 562633; RRID:AB_2737690
anti-GL7-PE/Cy7, clone GL7	Biolegend	Cat# 144620; RRID:AB_2800677
anti-IgD-APC-H7, clone 11-26c.2a	BD Biosciences	Cat# 565348; RRID:AB_2739201
anti-IgG-FITC, Poly4060	Biolegend	Cat# 406001; RRID:AB_315029
anti-mouse IgG-PE, polyclonal secondary	Thermo Fisher Scientific	Cat#12-4010-87; RRID:AB_11044909
anti-MHC-II (I-A/I-E)- PerCP-Cy5.5, clone M5/114.5.2	BD Biosciences	Cat# 562363; RRID:AB_11153297
anti-biotin APC, clone REA746	Miltenyi Biotec	Cat# 130-110-952; RRID:AB_2661380
anti-biotin PE, clone 1d4-C5	BioLegend	Cat# 409004; RRID:AB_10641847
oolyclonal rabbit anti-NiV N antibody	This Study	Prof. B Horvat, CIRI
goat anti-rabbit IgG, Alexa Fluor 555, oolyclonal secondary	Thermo Fisher Scientific, USA	Cat# A21428; RRID:AB_2535849
Bacterial and virus strains		
NiV Bangladesh isolate SPB200401066	CDC, Atlanta, USA	GenBank: AY988601
Hendra virus/Australia/Horse/1994/Hendra	Porton Down Laboratory, UK	N/A
vesicular stomatitis virus (VSV) replicon	This study	N/A
Top10 E Coli	Thermo Fisher Scientific, USA	Cat #C404003

(Continued on next page)

## CellPress OPEN ACCESS

# Cell Reports Medicine Article

Continued		
REAGENT or RESOURCE	SOURCE	IDENTIFIER
Biological samples		
Mouse splenocytes and blood draws	This study	N/A
AGM blood draws and PBMCs	This study	N/A
AGM nasal and pharyngeal swabs	This study	N/A
AGM BAL, Sera, Urine, Thoracic exudate, cerebrospinal fluid, vitreous humor	This study	N/A
AGM tissues (Spleen, Lung, Brain)	This study	N/A
Chemicals, peptides, and recombinant proteins		
CD40.NiV vaccine	This study	N/A
NiV G recombinant protein	This study	N/A
Pools of overlapping peptides	JPT Peptide Technologies, Germany	N/A
Polyinosinic-polycytidylic acid (Poly-ICLC)	Oncovir, USA	Hiltonol
Streptavidin-HRP	Thermo Fisher Scientific	# 21130
DAPI	Thermo Fisher Scientific	#D1306
Critical commercial assays		
TransIT-PRO Transfection Kit	Mirus Bio LLC USA	#MIR 5700
Biotin-Protein Ligase-BIRA kit	Avidity, USA	N/A
TMB substrate kit	Thermo Fisher Scientific	# 34021
Bio-Plex Amine Coupling Kit	Bio-Rad, France	# 71406001
IFN-γ ELISpot plates	Mabtech	# 3321-4APT-2 and # 3421M-4APT-2
AF647 labeling kit	Thermo Fisher Scientific, USA	# A20186
Quant-iT RiboGreen RNA Assay Kit	Thermo Fisher Scientific, USA	#R11490
Deposited data	This study	https://www.ncbi.nlm.nih.gov/geo/query/
RNA-Sequencing data	This study	acc.cgi?acc=GSE245374
NiV-B G, F, and N proteins	NCBI	Genbank: AEZ01396.1
Ephrin-B2 receptor	NCBI	Genbank: NP_004084.1
Experimental models: Cell lines		
mammalian Expi CHO-S cells	Thermo Fisher Scientific, USA	# A29127
VeroE6 cells	ATCC	# CRL-1587
Experimental models: Organisms/strains		
human CD40 transgenic mice	Taconic Biosciences, USA	N/A
Chlorocebus aethiops sabaeus of Caribbean origin	Worldwide Primate Resources International, Saint-Kitts, Saint-Kitts&Nevis Isld	N/A
Oligonucleotides		
NiV-N Fwd: GTGCTGAGCTATACCCCACC	This study	N/A
NiV-N Rev: GAGATAAGCGCCGGACAAGA	This study	N/A
GAPDH Fwd: CACCCACTCCTCCACCTTTGAC	This study	N/A
GAPDH Rev: GTCCACCACCCTGTTGCTGTAG	This study	N/A
Software and algorithms		
NetMHC 4.04 software	DTU Health Tech	https://services.healthtech.dtu.dk/services/ NetMHC-4.0/
NetMHCII 2.3 sofware	DTU Health Tech	https://services.healthtech.dtu.dk/services/ NetMHCII-2.3/
BepiPred-2.0	DTU Health Tech	https://services.healthtech.dtu.dk/services/ BepiPred-2.0/
Vaxijen 2.0 software	Edward Jenner Institute	http://www.ddg-pharmfac.net/vaxijen/ VaxiJen/VaxiJen.html
Expasy tool	SIS Swiss Institute of Bioinformatics	https://web.expasy.org/protparam/

(Continued on next page)

Article



Bioplex Manager 6.1 software         Bio-Rad, France         N/A           FlowJo V.10.8 software         TreeStar, Ashland, OR         N/A           Illumina BaseSpace Sequence Hub         Illumina         https://emea.illumina.com/products/by-type informatics-products/basespace- sequence-hub.html           Venn diagrams         VIB/UGent (Belgium)         https://bioinformatics.psb.ugent.be/ webtools/Venn           METASCAPE web tool         Metascape Foundation         https://metascape.org           STRING database         Core Data Resource         http://string-db.org           ZEN 2.3 software, version 9         Graph-Pad         N/A           Salmon v1.9.0         N/A         https://salmon.readthedocs.io/en/ latest/salmon.html           MultiQC v1.13         N/A         https://salmon.readthedocs.io/en/ latest/salmon.html           dearseq v.1.8.4         N/A         https://bioconductor.org/packages/release/ bioc/html/degeR.html           factoextra v1.0.7         N/A         https://bioconductor.org/packages/release/ bioc/html/idearseq.html           FactoMineR v2.7         N/A         https://bioconductor.org/packages/release/ bioc/html/idearseq.html           FactoMineR v2.7         N/A         https://bioconductor.org/packages/release/ bioc/html/idearseq.html           FactoMineR v2.7         N/A         https://bioconductor.org/packages/release/ bioc/html/idearseq.html	Continued		
FlowJo V. 10.8 software     TreeStar, Ashland, OR     N/A       Illumina BaseSpace Sequence Hub     Illumina     https://emea.illumina.com/products/by-type informatics.peb.ugent.be/ webtoolk:Venn       Venn diagrams     VIB/UGent (Belgium)     https://bioinformatics.peb.ugent.be/ webtoolk:Venn       METASCAPE web tool     Metascape Foundation     https://metascape.org       STRING database     Core Data Resource     http://sing-db.org       ZEN 2.3 software     Zeiss, Germany     N/A       Salmon v1.9.0     N/A     https://salmon.readthedocs.io/en/ latest/salmon.readthedocs.io	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Illumina BaseSpace Sequence Hub     Illumina     https://emea.illumina.com/products/basespace- sequence-hub.html       Venn diagrams     VIB/UGent (Belgium)     https://bioinformatics.psb.ugent.be/ webtools/Venn       METASCAPE web tool     Metascape Foundation     https://bioinformatics.psb.ugent.be/ webtools/Venn       METASCAPE web tool     Metascape Foundation     https://emea.illumina.com/products/basespace- sequence-hub.html       STRING database     Core Data Resource     https://string-db.org       ZEN 2.3 software     Zeiss, Germany     N/A       Prism Software, version 9     Graph-Pad     N/A       Salmon v1.9.0     N/A     https://salmon.readthedocs.io/en/ latest/salmon.html       MuttiQC v1.13     N/A     https://bioconductor.org/packages/release. bioc/html/dearseq.html       dearseq v.1.8.4     N/A     https://bioconductor.org/packages/release. bioc/html/dearseq.html       imma v3.52     N/A     https://bioconductor.org/packages/release. bioc/html/dearseq.html       FactoMineR v2.7     N/A     https://bioconductor.org/packages/release. bioc/html/imma.html       FactoMineR v2.7     N/A     https://bioconductor.org/packages/release. bioc/html/usterProfiler.html       pheatmap v1.0.12     N/A     https://bioconductor.org/packages/release. bioc/html/usterProfiler.html       pheatmap v1.0.12     N/A     https://bioconductor.org/packages/release. bioc/html/usterProfiler.html       pheatmap v1.0.12 </td <td>Bioplex Manager 6.1 software</td> <td>Bio-Rad, France</td> <td>N/A</td>	Bioplex Manager 6.1 software	Bio-Rad, France	N/A
informatics-products/basespace-sequence-hub.html       Venn diagrams     VIB/UGent (Belgium)     https://bioinformatics.psb.ugent.be/       METASCAPE web tool     Metascape Foundation     https://bioinformatics.psb.ugent.be/       METASCAPE web tool     Metascape Foundation     https://sing-db.org       ZEN 2.3 software     Zeiss, Germany     N/A       Prism Software, version 9     Graph-Pad     N/A       Salmon v1.9.0     N/A     https://salmon.readthedocs.io/en/       MultiQC v1.13     N/A     https://bioconductor.org/packages/releases/bioc/htm/degaR.html       Gearseq v.1.8.4     N/A     https://bioconductor.org/packages/releases/bioc/htm/degaR.html       Imma v3.52     N/A     https://bioconductor.org/packages/releases/bioc/htm/degaR.html       FactoMineR v2.7     N/A     https://bioconductor.org/packages/releases/bioc/html/degaR.html       Pheatmap v1.0.12     N/A     https://bioconductor.org/packages/releases/bioc/html/degaR.html       pheatmap v1.0.12     N/A     https://bioconductor.org/packages/releases/bioc/html/degaR.html       ClusterProfiler v4.4.4     N/A     https://bioconductor.org/packages/releases/bioc/html/degaR.html       pheatmap v1.0.12     N/A     https://bioconductor.org/packages/releases/bioc/html/degaR.html       Stateser v2.7     N/A     https://bioconductor.org/packages/releases/bioc/html/degaR.html       Stateser v2.7     N/A     https://	FlowJo V.10.8 software	TreeStar, Ashland, OR	N/A
webtools/Venn           METASCAPE web tool         Metascape Foundation         https://metascape.org           STRING database         Core Data Resource         http://string-db.org           ZEN 2.3 software         Zeiss, Germany         N/A           Prism Software, version 9         Graph-Pad         N/A           Salmon v1.9.0         N/A         https://salmon.readthedocs.io/en/ latest/salmon.html           MultiQC v1.13         N/A         https://bioconductor.org/packages/release. bioc/html/degr8Lhtml           EdgeR v3.38         N/A         https://bioconductor.org/packages/release. bioc/html/degr8Lhtml           Imma v3.52         N/A         https://bioconductor.org/packages/release. bioc/html/degr8Lhtml           FactoMineR v2.7         N/A         https://bioconductor.org/packages/release. bioc/html/degr8Lhtml           FactoMineR v2.7         N/A         https://bioconductor.org/packages/release. bioc/html/dustenProfiler.v1.4.4           ClusterProfiler v4.4.4         N/A         https://bioconductor.org/packages/release. bioc/html/dustenProfiler.ntml           Other         T         N/A         https://www.rdocumentation.org/packages/release. bioc/html/dustenProfiler.ntml           FactoMineR v2.7         N/A         https://www.rdocumentation.org/packages/release. bioc/html/dustenProfiler.ntml           FactoMineR/v2.7         N/A         htttps://biocondu	Illumina BaseSpace Sequence Hub	Illumina	the second se
STRING database       Core Data Resource       http://string-db.org         ZEN 2.3 software       Zeiss, Germany       N/A         Prism Software, version 9       Graph-Pad       N/A         Salmon v1.9.0       N/A       https://salmon.readthedocs.io/en/ latest/salmon.html         MultiQC v1.13       N/A       https://bioconductor.org/packages/release/ bioc/html/edgeR.html         Gearseq v.1.8.4       N/A       https://bioconductor.org/packages/release/ bioc/html/edgeR.html         Imma v3.52       N/A       https://bioconductor.org/packages/release/ bioc/html/idearseq.html         FactoMineR v2.7       N/A       https://bioconductor.org/packages/release/ bioc/html/idearseq.itml         FactoMineR v2.7       N/A       https://bioconductor.org/packages/release/ bioc/html/idearseq.itml         Itimma v3.52       N/A       https://bioconductor.org/packages/release/ bioc/html/idearseq.itml         FactoMineR v2.7       N/A       https://pioconductor.org/packages/release/ bioc/html/idearsej.html         pheatmap v1.0.12       N/A       https://pioconductor.org/packages/release/ bioc/html/idearsej.html         pheatmap v1.0.12       N/A       https://pioconductor.org/packages/release/ bioc/html/idearsej.html         pheatmap v1.0.12       N/A       https://pioconductor.org/packages/release/ bioc/html/idearsej.html         Stastorg       N/A       https://piocondu	Venn diagrams	VIB/UGent (Belgium)	
ZEN 2.3 software       Zeiss, Germany       N/A         Prism Software, version 9       Graph-Pad       N/A         Salmon v1.9.0       N/A       https://salmon.readthedocs.io/en/ latest/salmon.html         MultiQC v1.13       N/A       https://salmon.readthedocs.io/en/ latest/salmon.html         MultiQC v1.13       N/A       https://bioconductor.org/packages/release/ bioc/html/dearseq.html         dearseq v.1.8.4       N/A       https://bioconductor.org/packages/release/ bioc/html/dearseq.html         limma v3.52       N/A       https://bioconductor.org/packages/release/ bioc/html/dearseq.html         FactoMineR v2.7       N/A       https://bioconductor.org/packages/release/ bioc/html/limma.html         FactoMineR v2.7       N/A       https://pkgs.datanovia.com/factoextra/         ClusterProfiler v4.4.4       N/A       https://pkgs.datanovia.com/factoextra/         pheatmap v1.0.12       N/A       https://www.rdocumentation.org/packages/release/ bioc/html/clusterProfiler.html         Other	METASCAPE web tool	Metascape Foundation	https://metascape.org
Prism Software, version 9       Graph-Pad       N/A         Salmon v1.9.0       N/A       https://salmon.readthedocs.io/en/ latest/salmon.html         MultiQC v1.13       N/A       https://bioconductor.org/packages/release/ bioc/html/edgeR.html         EdgeR v3.38       N/A       https://bioconductor.org/packages/release/ bioc/html/edgeR.html         dearseq v.1.8.4       N/A       https://bioconductor.org/packages/release/ bioc/html/idearseq.html         limma v3.52       N/A       https://bioconductor.org/packages/release/ bioc/html/idearseq.html         FactoMineR v2.7       N/A       https://bioconductor.org/packages/release/ bioc/html/idearseq.html         ClusterProfiler v4.4.4       N/A       https://bioconductor.org/packages/release/ bioc/html/clusterProfiler.html         pheatmap v1.0.12       N/A       https://bioconductor.org/packages/release/ bioc/html/clusterProfiler.html         other       EFL       V/A       https://bioconductor.org/packages/release/ bioc/html/clusterProfiler.html         pheatmap v1.0.12       N/A       https://bioconductor.org/packages/release/ bioc/html/clusterProfiler.html         other       EFL       Cytiva, USA       N/A         Tristar multimode plate reader       Berthold Technologies, France       N/A         Auto-2000 cell counter       BD Biosciences, USA       N/A         LSRFortessa5L       BD Bioscience	STRING database	Core Data Resource	http://string-db.org
Salmon v1.9.0N/Ahttps://salmon.readthedocs.io/en/ latest/salmon.htmlMultiQC v1.13N/Ahttps://multiqc.info/EdgeR v3.38N/Ahttps://bioconductor.org/packages/release/ bioc/html/degr.htmldearseq v.1.8.4N/Ahttps://bioconductor.org/packages/release/ bioc/html/dearseq.htmlilimma v3.52N/Ahttps://bioconductor.org/packages/release/ bioc/html/dearseq.htmlFactoMineR v2.7N/Ahttps://www.rdocumentation.org/packages/release/ bioc/html/dearseq.htmlFactoMineR v2.7N/Ahttps://www.rdocumentation.org/packages/release/ bioc/html/limma.htmlFactoMineR v2.7N/Ahttps://www.rdocumentation.org/packages/release/ bioc/html/limma.htmlFactoMineR v2.7N/Ahttps://www.rdocumentation.org/packages/release/ bioc/html/limma.htmlFactoMineR v2.7N/Ahttps://www.rdocumentation.org/packages/release/ bioc/html/clusteProfiler.htmlpheatmap v1.0.12N/Ahttps://www.rdocumentation.org/packages/release/ bioc/html/clusteProfiler.htmlpheatmap v1.0.12N/Ahttps://www.rdocumentation.org/packages/release/ bioc/html/clusteProfiler.htmlOtherFFLC - ÄKTA PureCytiva, USAN/AAuto-2000 cell counterN/AN/ALSRFortessa5LBD Biosciences, USAN/ALSRFortessa5LBD Biosciences, USAN/AAllISI flow cytometerBeckman Coulter, USAN/AAll ELISpot readerStrassberg, GermanyN/A	ZEN 2.3 software	Zeiss, Germany	N/A
MultiQC v1.13       N/A       https://multiqc.info/         EdgeR v3.38       N/A       https://bioconductor.org/packages/release/ bioc/html/edgeR.html         dearseq v.1.8.4       N/A       https://bioconductor.org/packages/release/ bioc/html/edgeR.html         limma v3.52       N/A       https://bioconductor.org/packages/release/ bioc/html/dearseq.html         FactoMineR v2.7       N/A       https://bioconductor.org/packages/release/ bioc/html/dearseq.html         factoextra v1.0.7       N/A       https://www.rdocumentation.org/packages/ FactoMineR/versions/2.7         factoextra v1.0.7       N/A       https://bioconductor.org/packages/release/ bioc/html/clusterProfiler v4.4.4         ClusterProfiler v4.4.4       N/A       https://www.rdocumentation.org/packages/ pheatmap/versions/1.0.12/topics/pheatmap         PFPLC - ÅKTA Pure       Cytiva, USA       N/A         Tristar multimode plate reader       Berthold Technologies, France       N/A         Auto-2000 cell counter       Nexcelom Bioscience LLC, USA       N/A         LSRFortessa5L       BD Biosciences, USA       N/A         LSRII flow cytometer       Beckman Coulter, USA       N/A         Allos flow cytometer       Beckman Coulter, USA       N/A         Allo ELISpot reader       Strassberg, Germany       N/A	Prism Software, version 9	Graph-Pad	N/A
EdgeR v3.38N/Ahttps://bioconductor.org/packages/release/ bioc/html/edgeR.htmldearseq v.1.8.4N/Ahttps://bioconductor.org/packages/release/ bioc/html/edgeR.htmllimma v3.52N/Ahttps://bioconductor.org/packages/release/ bioc/html/limma.htmlFactoMineR v2.7N/Ahttps://bioconductor.org/packages/release/ bioc/html/limma.htmlFactoMineR v2.7N/Ahttps://bioconductor.org/packages/release/ bioc/html/limma.htmlFactoMineR v2.7N/Ahttps://ps/gs.datanovia.com/factoextra/ClusterProfiler v4.4.4N/Ahttps://ips/conductor.org/packages/release/ bioc/html/Limma.htmlpheatmap v1.0.12N/Ahttps://www.rdocumentation.org/packages pheatmap/versions/1.0.12/topics/pheatmapOtherEFPLC - ÄKTA PureCytiva, USAN/AAuto-2000 cell counterNexcelom Bioscience LLC, USAN/ALSRFortessa5LBD Biosciences, USAN/ALSRII flow cytometerBD Biosciences, USAN/AAll ELSpot readerStrassberg, GermanyN/A	Salmon v1.9.0	N/A	the second se
bioc/html/edgeR.html         dearseq v.1.8.4       N/A         https://bioconductor.org/packages/release/ bioc/html/dearseq.html         limma v3.52       N/A         https://bioconductor.org/packages/release/ bioc/html/limma.html         FactoMineR v2.7       N/A         factoextra v1.0.7       N/A         ClusterProfiler v4.4.4       N/A         pheatmap v1.0.12       N/A         PFPLC - ÄKTA Pure       Cytiva, USA         Tristar multimode plate reader       Berthold Technologies, France         Auto-2000 cell counter       Nexcelom Bioscience LLC, USA         LSRFortessa5L       BD Biosciences, USA         LSRFI flow cytometer       BD Biosciences, USA         Allo ELISpot reader       Strassberg, Germany         AlD ELISpot reader       Strassberg, Germany	MultiQC v1.13	N/A	https://multiqc.info/
bioc/html/dearseq.htmllimma v3.52N/Ahttps://bioconductor.org/packages/release/ bioc/html/limma.htmlFactoMineR v2.7N/Ahttps://www.rdocumentation.org/packages/ FactoMineR/versions/2.7factoextra v1.0.7N/Ahttps://pkgs.datanovia.com/factoextra/ClusterProfiler v4.4.4N/Ahttps://bioconductor.org/packages/release/ bioc/html/clusterProfiler.htmlpheatmap v1.0.12N/Ahttps://www.rdocumentation.org/packages/release/ bioc/html/clusterProfiler.htmlpheatmap v1.0.12N/Ahttps://www.rdocumentation.org/packages/ pheatmap/versions/1.0.12/topics/pheatmapOtherEFPLC - ÄKTA PureCytiva, USAN/ATristar multimode plate readerBerthold Technologies, FranceN/AAuto-2000 cell counterNexcelom Bioscience LLC, USAN/ALSRFortessa5LBD Biosciences, USAN/ALSRII flow cytometerBD Biosciences, USAN/AAID ELISpot readerStrassberg, GermanyN/A	EdgeR v3.38	N/A	https://bioconductor.org/packages/release/ bioc/html/edgeR.html
bioc/html/limma.htmlFactoMineR v2.7N/Ahttps://www.rdocumentation.org/packages. FactoMineR/versions/2.7factoextra v1.0.7N/Ahttps://rpkgs.datanovia.com/factoextra/ClusterProfiler v4.4.4N/Ahttps://bioconductor.org/packages/release/ bioc/html/clusterProfiler.htmlpheatmap v1.0.12N/Ahttps://www.rdocumentation.org/packages. release/ bioc/html/clusterProfiler.htmlotherFPLC - ÄKTA PureV/ATristar multimode plate readerBerthold Technologies, FranceN/AAuto-2000 cell counterNexcelom Bioscience LLC, USAN/ALSRFortessa5LBD Biosciences, USAN/ALSRII flow cytometerBD Biosciences, USAN/AAlD ELISpot readerStrassberg, GermanyN/A	dearseq v.1.8.4	N/A	https://bioconductor.org/packages/release/ bioc/html/dearseq.html
FactoMineR/versions/2.7factoextra v1.0.7N/Ahttps://rpkgs.datanovia.com/factoextra/ClusterProfiler v4.4.4N/Ahttps://bioconductor.org/packages/release/ bioc/html/clusterProfiler.htmlpheatmap v1.0.12N/Ahttps://www.rdocumentation.org/packages/ pheatmap/versions/1.0.12/topics/pheatmapOtherFPLC - ÄKTA PureCytiva, USAFPLC - ÄKTA PureCytiva, USAN/AAuto-2000 cell counterNexcelom Bioscience LLC, USAAuto-2000 cell counterBD Biosciences, USALSRFortessa5LBD Biosciences, USALSRII flow cytometerBD Biosciences, USAAID ELISpot readerStrassberg, GermanyN/A	limma v3.52	N/A	https://bioconductor.org/packages/release/ bioc/html/limma.html
ClusterProfiler v4.4.4N/Ahttps://bioconductor.org/packages/release/ bioc/html/clusterProfiler.htmlpheatmap v1.0.12N/Ahttps://www.rdocumentation.org/packages/ pheatmap/versions/1.0.12/topics/pheatmapOtherFPLC - ÄKTA PureCytiva, USAN/ATristar multimode plate readerBerthold Technologies, FranceN/AAuto-2000 cell counterNexcelom Bioscience LLC, USAN/ALSRFortessa5LBD Biosciences, USAN/ALSRII flow cytometerBD Biosciences, USAN/AAID ELISpot readerStrassberg, GermanyN/A	FactoMineR v2.7	N/A	https://www.rdocumentation.org/packages/ FactoMineR/versions/2.7
bioc/html/clusterProfiler.html pheatmap v1.0.12 N/A https://www.rdocumentation.org/packages. pheatmap/versions/1.0.12/topics/pheatmap Other FPLC - ÄKTA Pure Cytiva, USA N/A Tristar multimode plate reader Berthold Technologies, France N/A Auto-2000 cell counter Nexcelom Bioscience LLC, USA N/A LSRFortessa5L BD Biosciences, USA N/A LSRII flow cytometer BD Biosciences, USA N/A AlD ELISpot reader Strassberg, Germany N/A	factoextra v1.0.7	N/A	https://rpkgs.datanovia.com/factoextra/
Other       Pheatmap/versions/1.0.12/topics/pheatmap         FPLC - ÄKTA Pure       Cytiva, USA       N/A         Tristar multimode plate reader       Berthold Technologies, France       N/A         Auto-2000 cell counter       Nexcelom Bioscience LLC, USA       N/A         LSRFortessa5L       BD Biosciences, USA       N/A         LSRII flow cytometer       BD Biosciences, USA       N/A         Gallios flow cytometer       Beckman Coulter, USA       N/A         AID ELISpot reader       Strassberg, Germany       N/A	ClusterProfiler v4.4.4	N/A	https://bioconductor.org/packages/release/ bioc/html/clusterProfiler.html
FPLC - ÄKTA PureCytiva, USAN/AFPLC - ÄKTA PureCytiva, USAN/ATristar multimode plate readerBerthold Technologies, FranceN/AAuto-2000 cell counterNexcelom Bioscience LLC, USAN/ALSRFortessa5LBD Biosciences, USAN/ALSRII flow cytometerBD Biosciences, USAN/AGallios flow cytometerBeckman Coulter, USAN/AAID ELISpot readerStrassberg, GermanyN/A	pheatmap v1.0.12	N/A	https://www.rdocumentation.org/packages/ pheatmap/versions/1.0.12/topics/pheatmap
Tristar multimode plate readerBerthold Technologies, FranceN/AAuto-2000 cell counterNexcelom Bioscience LLC, USAN/ALSRFortessa5LBD Biosciences, USAN/ALSRII flow cytometerBD Biosciences, USAN/AGallios flow cytometerBeckman Coulter, USAN/AAID ELISpot readerStrassberg, GermanyN/A	Other		
Auto-2000 cell counterNexcelom Bioscience LLC, USAN/ALSRFortessa5LBD Biosciences, USAN/ALSRII flow cytometerBD Biosciences, USAN/AGallios flow cytometerBeckman Coulter, USAN/AAID ELISpot readerStrassberg, GermanyN/A	FPLC - ÄKTA Pure	Cytiva, USA	N/A
LSRFortessa5LBD Biosciences, USAN/ALSRII flow cytometerBD Biosciences, USAN/AGallios flow cytometerBeckman Coulter, USAN/AAID ELISpot readerStrassberg, GermanyN/A	Tristar multimode plate reader	Berthold Technologies, France	N/A
LSRII flow cytometerBD Biosciences, USAN/AGallios flow cytometerBeckman Coulter, USAN/AAID ELISpot readerStrassberg, GermanyN/A	Auto-2000 cell counter	Nexcelom Bioscience LLC, USA	N/A
Gallios flow cytometer     Beckman Coulter, USA     N/A       AID ELISpot reader     Strassberg, Germany     N/A	LSRFortessa5L	BD Biosciences, USA	N/A
AID ELISpot reader Strassberg, Germany N/A	LSRII flow cytometer	BD Biosciences, USA	N/A
	Gallios flow cytometer	Beckman Coulter, USA	N/A
Bioplex-200 plate reader 640 Bio-Rad, France N/A	AID ELISpot reader	Strassberg, Germany	N/A
	Bioplex-200 plate reader 640	Bio-Rad, France	N/A

X-Cite Fire LED illumination system	

Axio Scan.Z1 slide scanner

PhysioTel digital M10-F2 telemetry devices

#### **RESOURCE AVAILABILITY**

#### Lead contact

Further information and requests for resources and reagents should be directed to and will be fulfilled by the lead contact, Sylvain Cardinaud (sylvain.cardinaud@inserm.fr).

Data Science international (DSI),

Excelitas Technologies, USA)

Harvard Bioscience Inc.

Zeiss, Germany

N/A

N/A

N/A

#### **Materials availability**

All unique reagents generated in this study are listed in the key resources table and available from the lead contact with a completed Materials Transfer Agreement.



#### Data and code availability

- The RNA-Sequencing data generated in this publication have been deposited in NCBI's Gene Expression Omnibus and are accessible through GEO Series accession number GSE245374.
- This paper does not report original code.
- Any additional information required to reanalyze the data reported in this work paper is available from the lead contact upon request.

#### **EXPERIMENTAL MODEL AND STUDY PARTICIPANT DETAILS**

#### **Ethics statements**

Animal housing and experimental procedures were conducted according to French and European Regulations (Parlement European et du Conseil du 22 septembre 2010, Décret n° 2013-118 du 1er février 2013 relatif a la protection des animaux utilisés à des fins scientifiques) and the National Research Council Guide for the Care and Use of Laboratory Animals (National Research Council (U. S.), Institute for Laboratory Animal Research (U.S.), and National Academies Press (U.S.), Eds., Guide for the care and use of laboratory animals, 8th ed. Washington, D.C: National Academies Press, 2011).

#### Mice

Six-to 24-week-old human CD40 transgenic mice with the human CD40 region BAC inserted into a wildtype C57BL/6 background (Taconic Biosciences, USA), referred to as hCD40Tg mice, were used in this study.<sup>11</sup> Mice were housed at the Mondor Institute of Biomedical Research infrastructure facilities (U955 INSERM-Paris Est Créteil University, France) under pathogen-free conditions at  $20^{\circ}$ C to  $24^{\circ}$ C and  $50\% \pm 15\%$  humidity with a 12-h light/12-h dark cycle. All procedures were submitted to the Institutional Animal Care and Use Committee approved by the French authorities (APAFIS#25329–2020051119073072 v4).

#### African green monkeys (AGM)

Twelve *Chlorocebus aethiops sabaeus* of Caribbean origin (6 males and 6 females, 27 to 35 months old) were obtained from Worldwide Primate Resources International (Saint-Kitts, Saint-Kitts&Nevis Isld). All animals had passed a physical examination and were certified to be healthy by a veterinarian. Animals were quarantined and acclimatized for 40 days, and then included in the immunization and surgery part of the study in AAALAC-certificated BioPRIM facilities (Baziège, France). They were socially housed in pens with perches and platforms, *ad libitum* access to water and food (SDS OWM 808003 Chunk and daily distribution of fresh fruits), access to toys, and natural light. All procedures were submitted to the local Institutional Animal Care and Use Committee #53 approved by the French authorities (2022051714245912 v2).

AGMs were subsequently transported to the Jean Mérieux BSL4 - facilities (Lyon, France) for Nipah virus challenge. AGMs were housed in groups of three (grouped by gender) in four ventilated cabinets that allowed social interaction. Before challenge, the animals were acclimatized for 14 days in BSL-4 conditions with an enriched sterile environment, access to food (307 extruded pellets, SAFE, St Laurent, France) and water (*ad libitum*), and light/dark cycles (12 h/12 h). Each cabinet included an elevated perch or platform, and each animal was regularly provided with toys for physical enrichment, as recommended by the Guide for the Care and Use of Laboratory Animals, as well as audio stimulation. Animal housing and experimental procedures were conducted in the BSL-4 laboratory according to the French and European Regulations (Directive 2010/63/EU of the European Parliament and of the Council of 22 September 2010). The experimental protocol was approved by the Comité d'Ethique en Expérimentation Animale (CELYNE, n°042) and the French authorities (APAFIS#37780–2022062310304143 v4).

#### **METHOD DETAILS**

#### **Immunogens & reagents**

#### CD40.NiV vaccines

The amino acid sequences of the NiV-B G, F, and N proteins (GenBank: AY988601.1) were screened to identify peptides that bind weakly or strongly to HLA-I and -II using NetMHC 4.04<sup>43</sup> and NetMHCII 2.3<sup>44</sup> software, respectively. For global HLA coverage, 9-mer peptides were screened for 81 HLA-A, -B and -C molecules and 15-mer peptides for 54 HLA-DR, -DP, and -DQ molecules. NiV proteins were also examined for linear B-cell epitopes using BepiPred-2.0 software (Sequential B-Cell Epitope Predictor<sup>45</sup>). The antigenicity and protective capacity of the down-selected peptides were analyzed using Vaxijen 2.0 software (http://www.ddgpharmfac.net/vaxijen/VaxiJen/), with a threshold of 0.4 for viral proteins, considering values >0.4 to be probable protective antigens. Peptides with the highest score were selected for further evaluation and vaccine construction. Physiochemical properties and stability of the multi-epitope vaccine construct were controlled using the Expasy tool (https://web.expasy.org/protparam/). The computed parameters included the molecular weight, theoretical pl, amino acid composition, atomic composition, extinction coefficient, estimated half-life, instability index, aliphatic index, and grand average of hydrophobicity. The sequences were inserted into expression plasmids in which NiV G ECD was fused to the C-terminus of the heavy chain (HC) of a previously described humanized anti-human CD40 12E12 IgG4 antibody.<sup>19</sup> Additional F and N down-selected sequences were fused to the C-terminus of the light chain (LC) to generate the final vaccine candidate (CD40.NiV, 302 kDa).



The vaccines were produced via transient transfection (TransIT-PRO Transfection Kit, Mirus Bio LLC, USA) of mammalian CHO-S cells (Thermo Fisher Scientific, USA). Cells were cultured in Mirus media (Mirus Bio LLC) supplemented with 1% penicillinstreptomycin and the recombinant Abs produced in the supernatants captured on Protein A-affinity columns (Thermo Fisher Scientific) and eluted by FPLC (ÄKTA Pure, Cytiva, USA). Purified mAbs were stored in 125 mM Cavitron cyclodextrin buffer (Ashland, USA) or 1 M arginine buffer (100 mM Tris, pH 7) at -80°C until use. NiV G ECD protein and the Ephrin-B2 receptor (NCBI NP\_004084.1) were produced in stably transfected CHO cells and purified on His-tag pre-packed columns (Cytiva). The NiV G ECD protein contains an Avitag and was biotinylated using the Biotin-Protein Ligase-BIRA kit according to the manufacturer's instructions (Avidity, USA). Quality assurance tests for the proteins and mAbs were performed using the following procedures: i) SDS-PAGE and Coomassie staining, ii) endotoxin level below 0.5 ng/mg of protein, and iii) SEC on a Superdex 200 10/300 column (Cytiva), following the manufacturer's instructions.

#### **Overlapping peptide (OVLP) pools**

OVLP pools were obtained from JPT Peptide Technologies (Berlin, Germany), with purity >70%. The 15-mer peptides, overlapping by 11 amino acids, were designed to cover the complete selected regions of the NiV G ECD, F, and N peptides separately and were used for IFN- $\gamma$  ELISpot assays (see Table S2 for detailed aa sequences). The peptide pools were resuspended to 1 mg/mL in DMSO and aliquots conserved at  $-80^{\circ}$ C until use.

#### Animal immunization and groups

#### Mice

hCD40Tg mice were immunized SC on days 0 and 21 with 10 µg CD40.NiV vaccine with 50 µg of polyinosinic-polycytidylic acid (poly-ICLC, Hiltonol; Oncovir, USA). Note that the administration of 10 µg of CD40.NiV corresponds to 3.94 µg, 0.34 µg, and 0.27 µg of NiV G ECD, F, and N down-selected peptides, respectively. Groups of mice were also immunized with the same amount of non-targeted NiV G protein. Mice were euthanized seven days after the second immunization. Spleens and blood were collected to assess B- and T cell responses. No animals were excluded from the study.

#### **AGM**s

Six male AGMs and three female AGMs were immunized SC on days 0 and 21 with 200 µg CD40.NiV, along with 1 mg poly-ICLC. As a control, a group of three male AGMs were immunized with the vehicle (poly-ICLC) only. Blood was collected on days 0, 10, 21, 35, and 56 for the analysis of B- and T cell responses. No animals were excluded from the study.

#### Vaccine-induced immune responses

#### CD40.NiV cellular binding assay

NiV G ECD and CD40.NiV were labeled with AF647 following instructions of the manufacturer (Thermo Fisher Scientific, cat# A20186). Splenocytes from naive hCD40Tg were incubated 30min on ice with 1nM of labeled vaccine and phenotyped using following antibodies: CD45-BV711 (Sony biotechnologies, clone 30-F11), CD11c-BV785 (Sony biotechnologies, clone N418), MHC-II (I-A/I-E)-PerCP-Cy5.5 (Sony biotechnologies M5/114.5.2), CD3-AF700 (Sony Biotechnology, clone 17A2), B220-PECy7 (Sony biotechnologies, clone RA3-6B2). Binding on AGM PBMCs was performed similarly using following phenotypic panel: Anti-CD3-V500 (BD Biosciences, clone SP34-2), CD4-FITC (BD Biosciences, clone L200), CD8-BV650(BD Biosciences, clone RPA-T8), CD20-SB702 (Fisher Scientific, clone 2H7), CD14-AF700 (Biolegend, clone M5E2), CD45-PerCP (Biolegend, clone D058-1283), CD163-APC (Biolegend, clone GHI/61) and HLA-DR-APC-H7 (BD Biosciences, clone L243).

### Antibody measurement

#### ELISA

Anti-NiV G AGM IgG and IgA were measured by ELISA. Briefly, 1  $\mu$ g/mL of NiV-B G protein (50  $\mu$ L) was adsorbed into 96-well Maxisorp plates (Nunc cell culture plastic, Thermo Fisher Scientific) in carbonate buffer (pH 9.6) and incubated overnight at 4°C. Plates were washed with phosphate-buffered saline (PBS) - Tween 20 0.05% (PBS-T) and blocked with PBS 3% BSA in PBS for 2 h at room temperature (RT). 3-fold serial dilutions of sera from immunized animals were added to the plates (50  $\mu$ L), followed by 1 h of incubation at RT. Plates were then washed and goat anti-monkey IgG conjugated with HRP (1/30,000; Thermo Fisher Scientific) was added, followed by 1 h of incubation at RT. For IgA, anti-monkey IgA-biotin secondary antibody (cat#MA5-16730, Thermo Fisher Scientific) was added at 1  $\mu$ g/mL, followed by 1 h of incubation at RT. Streptavidin-HRP (1/40,000, 1 h RT, Pierce) was used for detection. Plates were washed and revealed using the TMB substrate kit (Thermo Fisher Scientific) and quenched with 2 N H<sub>2</sub>SO<sub>4</sub>. Plates were read using a Tristar multimode plate reader (Berthold Technologies, France) at 450 nm (ref. 570 nm).

#### Multiplex bead-based technology

Mouse IgG was titrated using the Luminex bead-based immunoassay. Luminex beads were prepared by covalent coupling of inhouse produced NiV-B G protein with MagPlex beads using the Bio-Plex Amine Coupling Kit (Bio-Rad, France). Briefly,  $1 \times 10^{6}$  MagPlex-COOH Microspheres (Bio-Rad) were resuspended in activation buffer containing a freshly prepared solution of 1-ethyl-3-(3-dimethylaminopropyl) carbodiimide (EDC, 2.5 mg) and N-hydroxysulfosuccinimide (S-NHS, 2.5 mg) (Thermo Fisher Scientific). After 20 min of agitation at RT using a Hula-Mixer (Thermo Fisher Scientific), activated beads were washed in PBS, followed by the addition of 100 µg of protein antigen in a final volume of 1 mL PBS. The coupling reaction was performed at RT for 2 h with bead agitation. Washed beads were resuspended in 500 µL blocking buffer and incubated for 30 min with agitation at RT. Following a final



washing step with storage buffer, beads were resuspended in 1 mL storage buffer, counted using an Auto-2000 cell counter (Nexcelom Bioscience LLC, USA), and stored in the dark at 4°C until use. NiV G-coupled beads were diluted to 40,000 beads/mL in PBS and added (50  $\mu$ L) to Bio-Plex Pro 96-well Flat Bottom Plates (Bio-Rad). Following two washes with PBS-T on a magnetic plate washer (Bio-Rad), 50  $\mu$ L of the individual serum samples diluted in PBS (1/1,000) were added to the plates. The plates were sealed and agitated (750 rpm) for 1 h in the dark. Beads were then washed three times using a magnetic plate washer and anti-mouse IgG-PE secondary antibody (Thermo Fisher Scientific, cat#12-4010-87) was added to 0.5  $\mu$ g/mL. After three washes, beads were resuspended in 80  $\mu$ L Sheath fluid (Bio-Rad), agitated for 5 min, and directly read on a Bioplex-200 plate reader (Bio-Rad) with 50  $\mu$ L of acquisition volume and DD gate 5000–25000 settings. Median fluorescence intensities (MFI) were exported using Bioplex Manager 6.1 software (Bio-Rad).

#### Luminex-based antibody avidity assay

To measure the avidity of antigen-specific antibodies, an additional step was added to the Luminex protocol between incubation of the sample with the beads and addition of the detection antibody. After incubating the samples and beads for 1 h with agitation at RT and washing, 1 M sodium thiocyanate (NaSCN) or PBS was added to the plates, followed by incubation for 30 min at RT. After washing, the Luminex protocol was continued. The avidity index was calculated as the ratio of the MFI measured following incubation with NaSCN and the MFI measured following incubation with PBS, expressed as a percentage.

#### Luminex-based inhibition assay

A surrogate neutralization assay was developed to assess the ability of sera to neutralize the binding of NiV-B G protein to its natural human receptor, EphrinB2 (inhibition assay). Briefly, Luminex beads coupled with NiV G protein were incubated with 50  $\mu$ L serially diluted sera (2-fold dilutions; 1/30 to 1/1,920) in PBS for 1h at RT with agitation (750 rpm). Following incubation, 1  $\mu$ g/mL biotinylated EphrinB2 was added (50  $\mu$ L) and the plates incubated for another 1h at RT with agitation (750 rpm). Plates were then washed three times, streptavidin-PE (Biolegend) added at 1  $\mu$ g/mL, and the plates incubated for a further 45 min at RT with agitation (750 rpm). Plates were read as described above. The mean MFI of EphrinB2 incubated with the NiV G protein in the absence of serum (PBS) was used as the reference value for 100% binding.

#### In vitro NiV-B and HeV seroneutralization

Sera was serially diluted (2-fold steps) in DMEM containing 2% FBS and mixed with 50 PFU of NiV-B (isolate SPB200401066, CDC, Atlanta, USA) or HeV (Hendra virus/Australia/Horse/1994/Hendra, kindly provided by Porton Down Laboratory (Porton Down, UK), incubated for 30 min at  $37^{\circ}$ C, and poured on VeroE6 cells in 96 well-plates for 60min. DMEM containing10% FBS was added after 1 h and the cells further incubated for two days at  $37^{\circ}$ C. The cytopathic effect (CPE) was evaluated after crystal violet staining and the data analyzed using Prism 8 software to calculate the IC<sub>50</sub> values and neutralization titers (non-linear regression, inhibitor vs. response, variable slope fitting).

#### **Cross-neutralization studies**

The vesicular stomatitis virus (VSV) replicon, previously described,<sup>27,28</sup> was modified to express various fluorescent proteins (CyanFP, Yellow FP, GreenFP, CrimsonE2FP). For pseudotyping, the attachment glycoproteins and fusion proteins of NiV-Bangladesh (GenBank: AY988601), NiV-Cambodia (GenBank: MK801755), NiV-Malaysia (GenBank: AY029767), and Hendra virus (GenBank: MN062017.1) were transfected into HEK293T cells using the JetOptimus Transfection Reagent (Polyplus, France). Cells were infected with rVSVAG-xFP-VSV-G 8 h post-transfection. After 24 h, the supernatants were discarded, and the virus-producing cells resuspended in 5 mL fresh DMEM and snap-frozen in a  $-80^{\circ}$ C ethanol bath. Lysed cells were centrifuged for 5 min at 2,100 g and the viral particle-containing supernatants collected. Replicons (MOI, multiplicity of infection, 0.15) were mixed with diluted sera (1/60 to 1/3,200) and incubated for 30 min at  $37^{\circ}$ C. The mix was then added to VeroE6 cells, followed by an 8h incubation. The percentage of infected cells was determined by flow cytometry (BD LSRFortessa5L, BD Biosciences).

#### **NiV G-specific B-cell staining**

All cell culture was performed at  $37^{\circ}$ C in a humid atmosphere containing 5% CO2. The media for all experiments consisted of RPMI containing 10% fetal bovine serum (FBS) (Biowest, France) supplemented with 2 mM L-glutamine, 100 U/mL penicillin, and 100 µg/mL streptomycin. Mouse splenocytes ( $3 \times 10^{6}$ ) were resuspended in FACS buffer (PBS, 0.5% BSA, 2.5 nM EDTA) and incubated for 30 min at 4°C with 3 µg biotinylated NiV G protein per 1 × 10<sup>6</sup> cells. After washing with FACS buffer, cells were incubated for 30 min at 4°C with the Live/Dead Fixable Aqua Stain (Thermo Fisher Scientific, cat# L34975), the antibody phenotyping panel (mCD45-BV605 (BD clone 30-F11), mCD3-AF700 (Sony Biotechnology, clone 17A2), mB220-BV711 (BD, clone RA3-6B2), CD138-PE/Dazzle594 (Sony Biotechnology, clone 281-2), mIgG-FITC (Sony Biotechnology, Poly4060), mIgD-APC-H7 (Sony Biotechnology, clone 11-26c.2a), mFAS-BV421 (BD, clone Jo2) and mGL-7-PC-7 (Biolegend, clone GL7)), and two anti-biotin mAbs (APC, Miltenyi Biotec (France) REA746, and PE, Sony Biotechnology clone 1D4-C5). Cells were fixed (BD fixation kit). Data acquisition was performed using an LSRII flow cytometer (BD). Data were analyzed using FlowJo software (TreeStar, Ashland, OR). All the flow cytometric plots presented in this article were pre-gated on live (using the Live/Dead Stain) and singlet events. *IFN-* $\gamma$  *ELISpot assay* 

IFN- $\gamma$ -releasing-specific T-cells were detected both among fresh mouse splenocytes and frozen AGM PBMCs using pre-coated IFN- $\gamma$  ELISpot plates (Mabtech cat#3321-4APT-2 and 3421M-4APT-2, respectively). Cells were seeded at 0.25 × 10<sup>6</sup> cells/well and stimulated at 37°C for 18 h with 1 µg/mL of each pool of overlapping peptides. Plates were then incubated with detection antibody in PBS-0.5% FBS for 2h at RT following the manufacturer's instructions. Plates were then washed and streptavidin-ALP (1/1,000 dilution in PBS-0.5% FBS) added, followed by incubation for 1h. Plates were developed using a BCIP/NBT-plus substrate solution. The



developed spots were counted using an AID ELISpot reader (Strassberg, Germany). Phorbol myristic acid (PMA)-ionomycin (Sigma-Aldrich, USA) and anti-CD3 mAb provided by the manufacturer were used as positive controls for the mouse and monkey ELISpot assays, respectively.

#### RNA extraction, library preparation, and sequencing

Whole blood was sampled in Tempus Buffer (Thermo Fisher Scientific). Total RNA was purified from whole blood using the Tempus Spin RNA Isolation Kit (Thermo Fisher Scientific) and then quantified using the Quant-iT RiboGreen RNA Assay Kit (Thermo Fisher Scientific). Quality control performed using a Bioanalyzer (Agilent). RNA samples were depleted of globin mRNA using the Globinclear Kit (Thermo Fisher Scientific) prior to mRNA library preparation using the NEBNext Kit (New England Biolab, USA). Libraries were sequenced on an Illumina HiSeq 2500 V4 system. Sequencing quality control was performed using Sequence Analysis Viewer (SAV). FastQ files were generated on the Illumina BaseSpace Sequence Hub (https://emea.illumina.com/products/by-type/informatics-products/basespace-sequence-hub.html). Transcript reads were aligned and quantified relative to the "Vero\_WHO\_p.1.0 *Chlorocebus sabaeus* (AGM) transcriptome reference from NCBI using Salmon v1.9.0<sup>46</sup> Quality control of the alignment was performed via MultiQC v1.13.<sup>46</sup> Finally, counts were filtered and normalized using the EdgeR v3.38 R package. Weakly expressed genes were excluded using the filterByExpr function with default parameters. The conserved counts were normalized as counts per million, plus 0.0001 to avoid null values, and then log2 transformed.

#### Differential gene expression analysis

Differential gene expression analysis was performed using the dearseq v.1.8.4 package and a mixed model with variance component test<sup>47</sup> to calculate the adjusted p values and the limma v3.52 package to obtain the fold-change in expression. The principal component analysis (PCA) based on gene expression of the samples was performed using with FactoMineR v2.7 and factoextra v1.0.7 R packages. The Venn diagram comparing the DEGs between the various gene expression analyses was created using the web application (https://bioinformatics.psb.ugent.be/webtools/Venn/). The volcano plots of the DEGs were created using the ggplot2 v3.4.1 package (https://ggplot2.tidyverse.org/).<sup>48</sup> The genes with an adjusted p value (false discovery rate)  $\leq$  0.05 were subjected to gene set enrichment analysis using the ClusterProfiler v4.4.4 R package.<sup>49</sup> DEGs were also analyzed for pathway enrichment using the METASCAPE web tool (https://metascape.org).<sup>50</sup> Gene expression heatmaps were created using the pheatmap R package 1.0.12.

#### Construction of the protein-protein interaction (PPI) network

The PPI network between proteins encoded by the DEGs, with adjusted p values (false discovery rate)  $\leq 0.05$  and absolute foldchange in expression  $\geq Log2 \ 0.58$ , was established by importing genes into the STRING database (http://string-db.org)<sup>51</sup> application using Cystoscope version 3.9.1.<sup>52</sup> The Molecular Complex Detection (MCODE) plug-in Cytoscape, with the default parameters, was used to detect the highest computed score network of DEGs (adjusted p value  $\leq 0.05$ , absolute log2FC  $\geq 0.58$ ) from the PPI network, based on highly interconnected genes.

#### Nipah virus challenge

#### Nipah virus infection

Wildtype NiV Bangladesh isolate SPB200401066 (CDC, Atlanta, USA; GenBank AY988601) (wt NiV) was prepared in Vero-E6 cells negative for *Mycoplasma* spp. as previously described. NiV infections were carried out at the INSERM Jean Mérieux BSL4 laboratory in Lyon, France.

The viral inoculum was prepared at  $10^2$  PFU in DMEM media and tittered before and after infection. AGMs were infected intratracheally (IT) in the BSL4 laboratory with  $10^2$  PFU of *Bangladesh* NiV in 2 mL DMEM under anesthesia with Zolétil 100 (Virbac, France). Animals were followed daily and kept under video-camera observation. Blood sampling was performed every two to three days using EDTA-containing tubes for hematological analysis and heparin lithium-containing tubes for biochemical analysis, RNA extraction, and B- and T cell response analysis. Samples were centrifuged at  $1500 \times g$  for 10 min and plasma samples were stored at -80 °C.

Euthanasia was performed when a humane endpoint was reached or at the end of the study, 27 or 28 days after infection, by intracardiac injection of 5 mL Euthasol (Dechra, UK). Necropsies were performed and the organs fixed using 4% formaldehyde (Merck, USA) during two series of seven days in BSL4 conditions and then processed for histopathological analysis. Of note, two vaccinated animals had to be euthanized at day 15 and 19 post-challenge due to injuries and ethical considerations independent of the NiV infection. These animals were excluded from survival study.

#### **Clinical and hematobiochemical follow-up**

Clinical exams were performed everyday post-challenge and the following parameters were scored: temperature, weight, dehydration, breath, reactivity, feces exams and neurological symptoms. Animals were euthanized when the total score reached >15 for ethical reasons.

PhysioTel digital M10-F2 telemetry devices (DSI) were surgically implanted for surveillance of the animals after the challenge in BSL-4 facilities. Surgical implantation of the devices was performed by the NHP (non-human primates) supplier (Bioprim, Baziège, France). The units transmitted blood pressure, temperature, and activity beginning from the day of arrival of the animals until the day of euthanasia. During acquisition, data was transmitted from the implant to a TRX-1 receiver mounted in the room connected via a communications link controller (CLC, DSI) to allow digital multiplexing and simultaneous collection of the signals from all animals. Digital data were then captured, reduced, and stored using Ponemah Acquisition Software.



Blood collection was performed under sedation via the femoral route using a Vacutainer system (Vacutest, Becton-Dickinson, France). Full hematological analysis was performed directly on whole blood stored in EDTA tubes using an MS9-5 device (Melet Schloesing Laboratories) with an MS9 pack and a control sample tube (Melet Schloesing Laboratories). Biochemistry analysis was performed directly on whole blood stored in heparin lithium tubes using an MScan-e unit (Melet Schloesing Laboratories) and the 20 parameter rotors (Melet Schloesing Laboratories). Several additional parameters of the plasma samples were analyzed using a Pentra C200 device (HORIBA Medical PENTRA C200).

#### Virology

#### **RNA extraction from infected AGM PBL**

Blood samples from infected AGMs collected in EDTA tubes were diluted in Pharmalyse buffer, vortexed, and incubated in the dark for 15 min. They were then centrifuged at 200 x g for 5 min and the pellets washed in 2 mL PBS 1% FBS, 2 mM EDTA. Finally, pellets were resuspended in 600  $\mu$ L RLT lysis buffer and purified following the manufacturer's instructions (Macherey Nagel). Samples were stored at  $-80^{\circ}$ C till use.

#### RT-qPCR

Viral RNA was extracted using a Qiamp Viral RNA Kit (Qiagen) for serum, swabs, urine, BAL, vitreous humor, and thoracic exudate samples and a Nucleospin Kit (Macherey Nagel) for PBMCs and organs. Viral load was evaluated by one-step RT-qPCR (NEB Luna Universal One-Step RT-qPCR kit) using NiV-N-specific primers (NiV-N Fwd: GTGCTGAGCTATACCCCACC and NiV-N Rev: GAGATAAGCGCCGGACAAGA) and GAPDH primers (GAPDH Fwd: CACCCACTCCTCCACCTTTGAC, GAPDH Rev: GTCCAC CACCCTGTTGCTGTAG), if necessary. PCR amplification was recorded on a Step One Plus apparatus (Thermo Fisher Scientific). All samples were run in duplicates and the results analyzed using ABI StepOne software v2.1 (Applied Biosystems, Thermo Fisher Scientific).

#### Post-challenge immune responses

#### Peripheral blood leukocyte isolation and fluid collection

One milliliter of blood was collected in EDTA tubes from each AGM and added to 10 mL 1X PharmLyse (BD Biosciences) to eliminate red blood cells. The tube was mixed by successive inversion and incubated for 15 min at RT in the dark. The mix was then centrifuged at 200 x g for 5 min at RT, the supernatants removed, and cell pellets resuspended in 1 mL 1X PBS +1% FBS before starting the staining procedure. Oral and nasopharyngeal swabs were sampled every two or three days and conditioned in preservation medium (UTM medium, Labelians).

#### Blood FACS phenotyping

Following isolation, PBLs were washed once in 1X PBS +1% FBS, resuspended in 150  $\mu$ L 1X PBS +1% FBS containing the antibody cocktail (anti- CD3-AF488 (BD Biosciences, clone SP34-2), CD4-AF700 (BD Biosciences, clone SK3), CD8-BV421 (BD Biosciences, clone SK1), CD20-APC-H7 (BD Biosciences, clone 2H7), CD14-APC (BD Biosciences, clone m5e2), and CD16-PeCy7 (BD Biosciences, clone 3g8), and incubated for 20 min at 4°C in the dark. Cells were then washed twice with 1 mL 1X PBS +1% FBS, centrifuged for 5 min at 530 g, and fixed with 150  $\mu$ L 4% methanol-free formaldehyde for 15 min at 4°C in the dark. Finally, 1 mL 1X PBS was added and the fixed cells centrifuged at 1,470 g for 5 min. The final pellets were resuspended in 500  $\mu$ L 1X PBS and the data acquired using a Gallios flow cytometer (Beckman Coulter) and analyzed using Flowjo V.10.8 (Treestar).

#### Histology and immunohistochemistry

Formalin-fixed samples were embedded in paraffin. Then, 4  $\mu$ m-thick tissue sections were cut, prepared according to standard procedures, and stained with hematoxylin – eosin – saffron (HES) for histopathological evaluation.

For immunohistochemistry, 4 µm-thick tissue sections were deparaffinized and rehydrated. The slides were incubated for 30 min at RT with 5% Fetal calf serum (Eurobio Scientific, France) diluted in PBS, followed by overnight incubation at 4°C with a polyclonal rabbit anti-NiV N antibody (1/500, courtesy of Prof Branka Horvat, CIRI) diluted in a 5% FBS, 0.1% Tween 20 (Sigma-Aldrich), PBS solution. Then the slides were rinsed and incubated for 30 min at RT with secondary antibody (goat anti-rabbit IgG, Alexa Fluor 555, 1/300; Thermo Fisher Scientifc, cat # A21428) and DAPI (1/1000; Thermo Fisher Scientifc, cat #D1306), diluted in 5% FBS, 0.1% Tween 20, PBS solution. Finally, the slides were rinsed prior to mounting with an in-house preparation of Mowiol (Merck). Whole slide images were acquired using an Axio Scan.Z1 slide scanner (Zeiss, Germany) with an ×10 objective (Plan Apochromat, Zeiss) and an X-Cite Fire LED illumination system (Excelitas Technologies, USA) for the following emission passbands: 445/50 (DAPI), 525/50 (autofluorescence), and 605/70 (Alexa Fluor 555). The whole slide scans were visualized using ZEN 2.3 software (Zeiss). This protocol was also performed on tissue sections from an animal that was not exposed to Nipah virus as a negative control and quality controls were performed by omission of the primary antibody.

#### **QUANTIFICATION AND STATISTICAL ANALYSIS**

We studied the dynamics of the neutralization response after the peak observed at 35 days and before the challenge. We used linear mixed models to consider the correlation of repeated measures within individuals (including one random intercept to capture inter-individual variability). For statistical analyses of the immune responses of the mice and AGMs, Kruskal-Wallis tests



with Dunn's multiple comparison post-hoc test were used for multiple comparisons. For phenotypic analysis of B-cells by FACS, groups were compared using unpaired Mann Whitney t-tests (ns: non-significant, \*p < 0.05, \*\*p < 0.01, \*\*\*p < 0.001). The Gehan-Breslow-Wilcoxon test was used to assess survival curves. Error bars depict the mean  $\pm$  the standard error of the mean (SEM) in all bar graphs shown. Whiskers define the minimum and maximum values of the data presented, with the medians shown as bars. GraphPad Prism statistical analysis software (Graph-Pad Prism Software, version 9) was used throughout.