




Erratum

Erratum: Rémy et al. Isolation and Culture of Human Stem Cells from Apical Papilla under Low Oxygen Concentration Highlight Original Properties. *Cells* 2019, 8, 1485

Murielle Rémy ¹, Francesca Ferraro ¹, Pierre Le Salver ¹, Sylvie Rey ¹, Elisabeth Genot ², Mojgan Djavaheri-Mergny ^{3,†}, Noélie Thébaud ¹, Claudine Boiziau ¹ and Hélène Boeuf ^{1,*}

- ¹ INSERM, University Bordeaux, U1026, Laboratory for the Bioengineering of Tissues, F-33000 Bordeaux, France; murielle.remy@inserm.fr (M.R.); francesca.ferraro.bio@gmail.com (F.F.); pierre.le.salver@gmail.com (P.L.S.); sylvie.rey@inserm.fr (S.R.); noelie.thebaud@inserm.fr (N.T.); claudine.boiziau@inserm.fr (C.B.)
- ² INSERM, University Bordeaux, U1045, F-33000 Bordeaux, France; elisabeth.genot@u-bordeaux.fr
- ³ INSERM, University Bordeaux, U1218 Action, F-33000 Bordeaux, France; mojgan.mergny@inserm.fr
- Correspondence: helene.boeuf@u-bordeaux.fr
- † Present address: INSERM, UMRS 1138, CRC F-75006 Paris, France.

The authors wish to make the following change to their paper [1]. Figure 2A should be replaced with the correct annotations for each curve. The correct Figure 2 is shown below.






Figure 2. Proliferative advantage of UBx-SCAP isolated under 3% O_2 in comparison with ambient air (21% O_2). (**A**) At each passage of SCAPs from EXP III, 0.4 (under 3% O_2) or 0.8 (under 21% O_2) millions of cells were seeded in a 75 cm² flask and counted after three or four days. Cumulative population doublings (CPD) were plotted for each individual refered to UBx-SCAP-N1, N2 and N3 (21% O_2) and UBx-SCAP-H1, H2 and H3 (3% O_2), up to 65 days. (**B**) The mean of time of population doubling for the first 10 passages, for each individual at 21% and 3% O_2 is plotted with standard deviation. Statistical analyses were done with a Mann-Whitney test. ** p < 0.01. *** p < 0.001.



Citation: Rémy, M.; Ferraro, F.; Le Salver, P.; Rey, S.; Genot, E.; Djavaheri-Mergny, M.; Thébaud, N.; Boiziau, C.; Boeuf, H. Erratum: Rémy et al. Isolation and Culture of Human Stem Cells from Apical Papilla under Low Oxygen Concentration Highlight Original Properties. *Cells* 2019, *8*, 1485. *Cells* 2021, *10*, 988. https://doi.org/ 10.3390/cells10050988

Received: 30 March 2021 Accepted: 1 April 2021 Published: 23 April 2021

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https://creativecommons.org/licenses/by/4.0/).

Cells **2021**, 10, 988 2 of 2

And in Table 1, the reference of the isotype PE is as follows: 12-4714-42. We apologize for this error and state that the scientific conclusions are unaffected. The original article has been updated.

Reference

1. Rémy, M.; Ferraro, F.; Le Salver, P.; Rey, S.; Genot, E.; Djavaheri-Mergny, M.; Thébaud, N.; Boiziau, C.; Boeuf, H. Isolation and Culture of Human Stem Cells from Apical Papilla under Low Oxygen Concentration Highlight Original Properties. *Cells* **2019**, *8*, 1485. [CrossRef] [PubMed]